Aluminum Hinge Options



POWERBRACE Corporation®



P117401 Hinge Butt 1-3/8" Offset, 1-1/4" Wide Used with: 2-3/4" Wide Hinges Use When: Door and Frame are Flush Allows Installation of Assembled Butt and Hinge



P1169061 Hinge Butt Used with: 2-3/4" Wide Hinges "Standard" 1-3/8" Offset, 1-1/4" Wide Use When: Door and frame are flush



Hinge Butt- 1-1/4" Wide
P1169101 1-5/8" Offset, for Door 1/4" out from Frame
P1169141 1-7/8" Offset, for Door 1/2" out from Frame
P1169181 2-1/8" Offset, For door 3/4" out from Frame
Used with: 2-3/4" Wide Hinges



1-3/8" Offset, 3" Wide Used with: 2-3/4" Wide Hinges Use When: Door and frame are flush Use When: Post has large radius

P1176061 Hinge Butt



P1175061 Hinge Butt 1-3/8" Offset, 2" Wide Used with: 2-3/4" Wide Hinges Use When: Door and frame are flush Use When: Post has large radius



P108940 Glide-Pro Hinge with Bearings 8-1/2" Long, 2-3/4" Wide, 4 Hole, 1-5/8" Offset Used with: 2-3/4" Hinge Butts Also available: No Hole (weld-on)



P1054147 Pin, Stainless Steel Used with: 2-3/4" Hinges Also Available: P1054143 Pin, Zn Pl



P108640 Glide-Pro Hinge with Bearings 9-1/2" Long, 2-3/4" Wide, 4 Hole, 1-5/8" Offset Used with: 2-3/4" Hinge Butts Also available: No Hole (weld-on), 3 Hole



P1054157 Bolt, Stainless Steel Used with: P1054017 Nut Used with: 2-3/4" Hinges Also Available P1054153 Bolt, Zn Pl



P11144 Glide-Pro Hinge with Bearings 9-1/2" Long, 2-3/4" Wide, 4 Hole, 1-5/8" Offset Used with: 2-3/4" Hinge Butts Extra-Long offset for wide door posts



P1054017 Nut, Stainless Steel Used with: P1054157 Bolt Used with: 2-3/4" Hinges Also Available P1054013 Nut, Zn Pl



P1509 Two Piece Hinge Use for: Many Applications May be used as Lift-Off Hinge



P1513 Two Piece Weld-On Hinge Theft-Deterrent Pin Use for: Many Applications May be used as lift-off hinge



P1510 Three-Piece Hinge Use for: Many Applications Including Ramps



P1514 Three Piece Weld-On Hinge Theft-Deterrent Pin Use for: Many Applications Including Ramps

Other Hinges and Butts available:

- Heavy-duty steel hinges in 2-3/4" wide and 4" wide
- Bolt-on and weld-on steel butts in 2-3/4" and 4" wide
- Weld-on stainless steel butts in 2-3/4" and 4" wide