






Shock Absorbers	9-1
Crossover Chart From Monroe to Gabriel.....	9-1
Air Suspensions.....	9-2
Neway NS190 Series	9-2
Neway NS190 Parts List	9-3
Neway NS190 (EZ-PULL) Hutch Type Slider.....	9-4
POSILOCK Applications	9-5
Neway NS-400 Series.....	9-6
Neway NS-400 Parts List.....	9-7
Neway CB400 Series	9-8
Neway CB400 Parts List	9-9
Neway AR-90-1 Series	9-10
Neway AR-90-1 Parts List.....	9-11
Neway RL-196 Series	9-12
Neway RL-196 Parts List	9-13
Neway RL-196A-12, -14, -15, -16 and -17 Series.....	9-14
Neway RL-196A-12, -14, -15, -16 and -17 Parts List.....	9-15
Reyco 86AR / RS1015 Air Ride	9-16
Reyco 86AR / RS1015 Air Ride Parts List	9-17
Reyco 86AR-RS1035 Anti Dock Walk	9-18
Reyco 86AR-RS1035 Anti Dock Walk Parts List.....	9-19
Hendrickson / Turner Model 190.....	9-20
Hendrickson / Turner Model 190 Parts List.....	9-21
Hendrickson / Turner Model 230.....	9-22
Hendrickson / Turner Model 230 Parts List.....	9-23
Parts List Chart A	9-23
Air Springs.....	9-24
Crossover Chart From Conti-Tech to Industry Common Numbers	9-24
Crossover Chart.....	9-25
Springs	9-26
Stoughton.....	9-26
Body Rails and Stop Bar Assemblies	9-27
Hutch H-8200 / H8800	9-27
Spring Suspensions.....	9-28
Hutch H-7700 (Obsolete – Available as service parts only).....	9-28
Hutch H-7700 Parts List.....	9-29
Hutch H-9700.....	9-30
Hutch H-9700 Parts List.....	9-31
Binkley Suspension.....	9-32
Binkley Suspension Parts List.....	9-33



Sliders	9-34
Hutch H-8200	9-34
Hutch H-8200 Parts List.....	9-35
Hutch H-8800 & H8900 (Obsolete – Available as service parts only) ..	9-36
Hutch H-8800 & H-8900 Parts List.....	9-37
Hutch H-9200	9-38
Hutch H-9200 Parts List.....	9-39
Hutch H-9800 (Replaces obsolete H-8800) / H-9801* / H-9811**	9-40
Hutch H-9800 Parts List.....	9-41
Hutch 2001 / 2011	9-42
HutchRide 2000	9-42
Hutch 2001 / 2011 Parts List.....	9-43
Binkley Lite-Slide™ SL7000	9-44
Binkley Lite-Slide™ SL8000 and SL6000	9-45
Neway CB400	9-46
Neway CB400 Parts List	9-47


SHOCK ABSORBERS

Crossover Chart From Monroe to Gabriel

Gabriel Number	Monroe Number
GF83362	6701
GF83215	6707
GF85026	6715*
GF85009	6717*
GF83242	6719
GF85003	6720*
GF83312	6811
GF83219	6828
GF83202	6833
GF83216	6841
GF83308	6860
GF83309	6861
GF83314	6863
GF83207	6886
GF83215	6891
GF83203	6893
GF83209	6894
GF83204	6895
GF83201	6898
GF83401	6902
GF83400	6903
GF83304	6912
GF83303	6913
GF83302	6916
GF83318	6921
GF83317	6924

Gabriel Number	Monroe Number
GF83225	6957
GF83353	6966
GF83221	6969
GF85000	
GF85001	
GF85005	
GF85006	
GF85029	
GF85307	74001
GF85305	74003
GF85315	74004
GF85304	74006
GF85303	74025
GF85302	74028
GF85301	74069
GF85700	74400
GF85711	74402
GF85300	74405
GF87001	74406
GF85702	74408
GF85310	74409
GF85703	74411
GF85704	74412
GF85700	74413
GF85318	74415
GF85705	74416
GF85311	74417
GF85709	74418
GF89422	74420

* Shock Upgrade 1 5/8" Piston




AIR SUSPENSIONS

Neway NS190 Series

Slider Box Use Hutch 8800 P/N's
Pull Handle Spring = H8018-01

Notes: One Side EZ-Align Shown
 "EZ-Pull" Not Shown
 For frame brackets (hangers) call
 with trailer VIN (serial number)
 Parts for pneumatic pin puller no
 longer available



For Pivot Connection "Kit" as pictured:
 Neway (SRK-266) NW481-00-329
 Kit rebushes one Axle

For Pivot Connection "Kit" for units with two side EZ ALIGN:
 Neway (SRK-521) NW481-00-385
 Kit rebushes one axle

For Axle Connection "Kit":
 Neway (SRK-457) NW481-00-320
 Kit rebushes one axle

EZ PULL 48in
H19299-03 FRONT
H19300-03 REAR

FOR UNITS WITH AC-6100 AIR KIT – OUR STANDARD

Stoughton Number	Description
NW900-54-007	Height Control Valve
NW905-54-107	Pressure Protect Valve
NW905-54-615*	Pilot (Auto Dump) Valve
NW905-54-664	Auto Reset Valve

* Replaces 900-54-079

AKA SENSING VALVE

AIR SUSPENSIONS

Neway NS190 Parts List


Item No.	Slider Box Length	Stoughton Number				Description	Qty.
		NS190-16.0	NS190-16.5	NS190-17.0	NS190-18.0		
1	84"	42" – NW905-46-161	42" – NW905-46-164	42" – NW905-46-164	42" – NW-905-46-164	Slider Assembly	1
1	84"	48" – NW905-46-155	48" – NW905-46-158	48" – NW905-46-158	48" – NW905-46-158	Slider Assembly	1
1	100"	42" – NW905-46-211	42" – NW905-46-214	42" – NW905-46-214	42" – NW905-46-214	Slider Assembly	1
1	100"	48" – NW905-46-205	42" – NW905-46-208	42" – NW905-46-208	42" – NW905-46-208	Slider Assembly	1
1	84"	42" – NW605-46-163	42" – NW905-46-166	42" – NW905-46-166	42" – NW905-46-166	Slider Assembly	1
1	84"	48" – NW905-46-157	48" – NW905-46-160	48" – NW905-46-160	48" – NW905-46-160	Slider Assembly	1
1	100"	42" – NW905-46-213	42" – NW905-46-216	42" – NW905-46-216	42" – NW905-46-216	Slider Assembly	1
1	100"	48" – NW905-46-207	42" – NW905-46-210	42" – NW905-46-210	42" – NW905-46-210	Slider Assembly	1
1A	84"/100"	H20289-01	H20289-01	H20289-01	H20289-01	Clip, (hold down)	4
1B	84"/100"	NW900-38-413	NW900-38-413	NW900-38-413	NW900-38-413	Tube 28.5 x 1.31 x .109	1
1C	84"/100"	NW900-45-302	NW900-45-302	NW900-45-302	NW900-45-302	Cam-puller	2
1D	84"/100"	NW900-34-145	NW900-34-145	NW900-34-145	NW900-34-145	Rivet Pin	8
1E	84"/100"	42" – NW900-34-147	42" – NW900-34-147	42" – NW900-34-147	42" – NW900-34-147	Link	4
1E	84"/100"	48" – H11412-16	48" – H11412-16	48" – H11412-16	48" – H11412-16	Link	4
1F	84"/100"	H12779-01	H12779-01	H12779-01	H12779-01	Spring	4
1G	84"/100"	H12716-01	H12716-01	H12716-01	H12716-01	Pin (cast lock)	4
1H	84"/100"	H11421-01	H11421-01	H11421-01	H11421-01	Slider Pad	2
1J	84"/100"	H11409-01	H11409-01	H11409-01	H11409-01	Clip (link attachment)	1
1K	84"/100"	H8026-00	H8026-00	H8026-00	H8026-00	Crank	1
1L	84"/100"	H71024-01	H71024-01	H71024-01	H71024-01	Pull Handle	1
2	84"/100"	NW905-16-818	NW905-16-818	NW905-16-818	NW905-16-818	Equalizing Beam LH (beam & adapter assy.)	2
2A	84"/100"	NW905-168-16	NW905-168-16	NW905-168-16	NW905-168-16	Equalizing Beam LH (bushed beam only)	2
2B	84"/100"	NW900-01-215	NW900-01-215	NW900-01-215	NW900-01-215	Axle Adapter LH (outside)	2
2C	84"/100"	NW905-01-350	NW905-01-350	NW905-01-350	NW905-01-350	Axle Adapter LH (inside)	2
2D	84"/100"	NW900-36-217	NW900-36-217	NW900-36-217	NW900-36-217	Washer	8
2E	84"/100"	NW932-01-051	NW932-01-051	NW932-01-051	NW932-01-051	Hex Bolt 1.125-7 x 8.5 LG	10
2F	84"/100"	NW934-00-506	NW934-00-506	NW934-00-506	NW934-00-506	Hex Lock Nut 1.125-7	6
2G	84"/100"	NW900-08-149	NW900-08-149	NW900-08-149	NW900-08-149	Bushing	12
3	84"/100"	NW905-16-819	NW905-16-819	NW905-16-819	NW905-16-819	Equalizing Beam RH (beam & adapter assy.)	2
3A	84"/100"	NW905-16-817	NW905-16-817	NW905-16-817	NW905-16-817	Equalizing Beam RH (bushed beam only)	2
3B	84"/100"	NW900-01-216	NW900-01-216	NW900-01-216	NW900-01-216	Axle Adapter RH (outside)	2
3C	84"/100"	NW905-01-351	NW905-01-351	NW905-01-351	NW905-01-351	Axle Adapter RH (inside)	2
4	84"/100"	NW905-57-223	NW905-57-225	NW905-57-225	NW905-57-159	Air Spring	4
5	84"/100"	NW900-44-162	NW900-45-040	NW900-45-040	NW900-45-054	Shock Absorber	4
6	84"/100"	NW900-08-186	NW900-08-186	NW900-08-186	NW900-08-186	Alignment Block	2
7	84"/100"	NW905-08-009	NW905-08-009	NW905-08-009	NW905-08-009	Alignment Block Assembly	2
8	84"/100"	NW900-08-198	NW900-08-198	NW900-08-198	NW900-08-198	Alignment Block	4
10	84"/100"	NW930-03-597	NW930-03-597	NW930-03-597	NW930-03-597	Hex Bolt .75-10 x 3.50	8
11	84"/100"	NW934-00-492	NW934-00-492	NW934-00-492	NW934-00-492	Hex Lock Nut .75-10	4
12	84"/100"	NW934-00-149	NW934-00-149	NW934-00-149	NW934-00-149	Hex Nut .75-16	4
13	84"/100"	NW934-00-136	NW934-00-136	NW934-00-136	NW934-00-136	Hex Nut .50-13	10
14	84"/100"	NW936-00-077	NW936-00-077	NW936-00-077	NW936-00-077	Washer .78	8
15	84"/100"	NW936-00-072	NW936-00-072	NW936-00-072	NW936-00-072	Washer .53	10
16	84"/100"	NW900-34-494	NW900-34-494	NW900-34-494	NW900-34-494	Support Plate (900-34-494)	2
17	84"/100"	NW905-48-040	NW905-48-040	NW905-48-040	NW905-48-040	Actuator Chamber	1
18	84"/100"	NW934-00-472	NW934-00-472	NW934-00-472	NW934-00-472	Hex Lock Nut .38-16	4
19	84"/100"	NW900-54-811	NW900-54-811	NW900-54-811	NW900-54-811	Choke Valve	4
20	84"/100"	42" – NW905-46-178	42" – NW905-46-270	42" – NW905-46-136	42" – NW905-46-138	Rod Assembly	4
20	84"/100"	48" – NW905-47-950	48" – NW905-47-950	48" – NW905-46-132	48" – NW905-46-134	Rod Assembly	4
22	84"/100"	NW934-00-367	NW934-00-367	NW934-00-367	NW934-00-367	Square Nut .75-10	4
23	84"/100"	NW930-03-633	NW930-03-633	NW930-03-633	NW930-03-633	Hex Bolt .75-10 x 5.0	4
24	84"/100"	NW900-34-137	NW900-34-137	NW900-34-137	NW900-34-137	Mud Flap Bracket	2
25	84"/100"	NW930-02-907	NW930-02-907	NW930-02-907	NW930-02-907	Hex Bolt .5-13	4
26	84"/100"	NW934-00-480	NW934-00-480	NW934-00-480	NW934-00-480	Hex Lock Nut .50-13	4
27	84"/100"	NW900-54-007	NW900-54-007	NW900-54-007	NW900-54-007	Height Control Valve	1
28	84"/100"	11M018-8	11M018-8	11M018-8	11M018-8	1/2" Clevis Assem. w/ 1/2" Pin	1
29	84"/100"	NW900-54-814	NW900-54-814	NW900-54-814	NW900-54-814	HCV Link Bracket	1
30	84"/100"	NW481-00-225	NW481-00-225	NW481-00-225	NW481-00-225	HCV Linkage Kit (SRK-168)	1
31	84"/100"	NW934-00-244	NW934-00-244	NW934-00-244	NW934-00-244	Hex Nut .313 GR B	8

Note: Numbers may change or become obsolete without notice.

AIR SUSPENSIONS

Neway NS190 (EZ-PULL) Hutch Type Slider

Note: EZ-PULL Slider Pins sold as assembly only. Pins, springs, linkage not sold separately.




AIR SUSPENSIONS POSILOCK Applications

NEWAY/HOLLAND FRAME BRACKET APPLICATION


Model	Stoughton Number	Description
Neway NS190 16" - 16.5" Ride Height	NW905-21-306 NW905-21-302 NW905-21-308 NW905-21-304	Roadside Alignable (non-weld) Curbside Alignable (non-weld) Roadside Non-alignable (non-weld) Curbside Non-alignable (non-weld)
Neway NS400 16" - 16.5" Ride Height	BKSP0367-02 BKSP0367-01 BKSP0366-02	Roadside Alignable (non-weld) Curbside Alignable (non-weld) Curbside Non-alignable (welded)
Holland CB400 / 4000	NW905-21-742 NW481-00-395 (SRK-531) NW905-21-743 NW481-00-396 (SRK-532)	Roadside Frame Bracket Only Roadside Frame Bracket "Kit" Curbside Frame Bracket Only Curbside Frame Bracket "Kit"

NEWAY/HOLLAND EDL-POSILOCK APPLICATIONS

Model	Stoughton Number	Suspension Ride Height
Neway NS190 with External Dock Lock (EDL) and 1st Generation NS400 with EDL	NW905-47-940 NW905-47-950 NW905-46-132 NW905-46-134	16.0" 16.5" 17.0" 17.5"
Neway NS400 2nd Generation with POSILOCK	NW905-47-990	16.5"
Holland CB400 / 4000 with POSILOCK	NW905-48-066 NW905-48-019 NW905-48-021 NW905-48-023	15.5" 16.0" 16.5" 17.0"



EXTERNAL DOCK LOCK (EDL)



POSILOCK

Notes: For Flipper Plate / Flapper Bars
Assemblies for units with 48" frame width.

More detailed information available on
SAFHolland website ww1.safholland.us.

AIR SUSPENSIONS


Neway NS-400 Series

BKSPK0056 TORSION SPRING KIT

Notes: Center Pin-Pull Assembly includes pipe and item 1C is welded to pipe. No other items attached.

Assembled equalizing beams not available.

Welded Alignment
Pin to Center
Member





AIR SUSPENSIONS

Neway NS-400 Parts List

Item No.	Stoughton Number				Description	96" Slider Box Rail Style	Qty.
	NS400-16.0	NS400-16.5	NS400-17.0	NS400-18.0			
1	42" - NL1Q22-112N000Y0 48" - NL1Q12-112N000Y0	42" - NL1Q22-122N000Y0 48" - NL1Q12-122N000Y0	42" - NL1Q22-132N000Y0 48" - NL1Q12-132N000Y0	42" - NL1Q22-142N000Y0 48" - NL1Q12-142N000Y0	Slider Assy. w/ Qwik Release w/ 2 NW & 2 WA Frame Brackets*	NSB**	1
	42" - NH1Q22-112N000Y0 48" - NH1Q12-112N000Y0	42" - NH1Q22-122N000Y0 48" - NH1Q12-122N000Y0	42" - NH1Q22-132N000Y0 48" - NH1Q12-132N000Y0	42" - NH1Q22-142N000Y0 48" - NH1Q12-142N000Y0		NSH**	
	42" - NT1Q22-112N000Y0 48" - NT1Q12-112N000Y0	42" - NT1Q22-122N000Y0 48" - NT1Q12-122N000Y0	42" - NT1Q22-132N000Y0 48" - NT1Q12-132N000Y0	42" - NT1Q22-142N000Y0 48" - NT1Q12-142N000Y0		NST**	
	42" - NU1Q22-112N000Y0 48" - NU1Q12-112N000Y0	42" - NU1Q22-122N000Y0 48" - NU1Q12-122N000Y0	42" - NU1Q22-132N000Y0 48" - NU1Q12-132N000Y0	42" - NU1Q22-142N000Y0 48" - NU1Q12-142N000Y0		NSU**	
1	42" - NL1Q22-111N000Y0 48" - NL1Q12-111N000Y0	42" - NL1Q22-121N000Y0 48" - NL1Q12-121N000Y0	42" - NL1Q22-131N000Y0 48" - NL1Q12-131N000Y0	42" - NL1Q22-141N000Y0 48" - NL1Q12-141N000Y0	Slider Assy. w/ Qwik Release w/ 4 NW Frame Brackets*	NSB**	1
	42" - NH1Q22-111N000Y0 48" - NH1Q12-111N000Y0	42" - NH1Q22-121N000Y0 48" - NH1Q12-121N000Y0	42" - NH1Q22-131N000Y0 48" - NH1Q12-131N000Y0	42" - NH1Q22-141N000Y0 48" - NH1Q12-141N000Y0		NSH**	
	42" - NT1Q22-111N000Y0 48" - NT1Q12-111N000Y0	42" - NT1Q22-121N000Y0 48" - NT1Q12-121N000Y0	42" - NT1Q22-131N000Y0 48" - NT1Q12-131N000Y0	42" - NT1Q22-141N000Y0 48" - NT1Q12-141N000Y0		NST**	
	42" - NU1Q22-111N000Y0 48" - NU1Q12-111N000Y0	42" - NU1Q22-121N000Y0 48" - NU1Q12-121N000Y0	42" - NU1Q22-131N000Y0 48" - NU1Q12-131N000Y0	42" - NU1Q22-141N000Y0 48" - NU1Q12-141N000Y0		NSU**	
1B	42" - BKSL-0893 48" - BKSL-0893	42" - BKSL-0893 48" - BKSL-0893	42" - BKSL-0893 48" - BKSL-0893	42" - BKSL-0893 48" - BKSL-0893	Hold Down Clip		4
1C	42" - SLOA1277-01 48" - SLOA1277-01	42" - SLOA1277-01 48" - SLOA1277-01	42" - SLOA1277-01 48" - SLOA1277-01	42" - SLOA1277-01 48" - SLOA1277-01	Center Pin Pull Assembly		1
1D	42" - SLOA1273 48" - SLOA1273	42" - SLOA1273 48" - SLOA1273	42" - SLOA1273 48" - SLOA1273	42" - SLOA1273 48" - SLOA1273	Clip		1
1E	42" - XB-CTP-014-59 48" - XB-CTP-014-59	42" - XB-CTP-014-59 48" - XB-CTP-014-59	42" - XB-CTP-014-59 48" - XB-CTP-014-59	42" - XB-CTP-014-59 48" - XB-CTP-014-59	Cotter Pin - 3/16" x 1 1/2"		1
1F	42" - SLOA1274 48" - SLOA1274	42" - SLOA1274 48" - SLOA1274	42" - SLOA1274 48" - SLOA1274	42" - SLOA1274 48" - SLOA1274	Torsion Cam		2
1G	42" - SLOA1261 48" - SLOA1261	42" - SLOA1261 48" - SLOA1261	42" - SLOA1261 48" - SLOA1261	42" - SLOA1261 48" - SLOA1261	Lock Pin Hutch Style - 1 5/8" Dia.		4
	42" - SLOA1238 48" - SLOA1261	42" - SLOA1238 48" - SLOA1261	42" - SLOA1238 48" - SLOA1261	42" - SLOA1238 48" - SLOA1261	Lock Pin - 1 3/8" Dia. - All Others		4
1H	42" - XB-SPG-020-35 48" - XB-SPG-020-35	42" - XB-SPG-020-35 48" - XB-SPG-020-35	42" - XB-SPG-020-35 48" - XB-SPG-020-35	42" - XB-SPG-020-35 48" - XB-SPG-020-35	Compression Spring		4
1J	42" - SLOA1269-02 48" - SLOA1269-01	42" - SLOA1269-02 48" - SLOA1269-01	42" - SLOA1269-02 48" - SLOA1269-01	42" - SLOA1269-02 48" - SLOA1269-01	Pull Handle		1
1K	42" - SLOA1239-01 48" - SLOA1239-02	42" - SLOA1239-01 48" - SLOA1239-02	42" - SLOA1239-01 48" - SLOA1239-02	42" - SLOA1239-01 48" - SLOA1239-02	Pin Pull Rod		4
1L	42" - XB-PW-016-85 48" - XB-PW-016-85	42" - XB-PW-016-85 48" - XB-PW-016-85	42" - XB-PW-016-85 48" - XB-PW-016-85	42" - XB-PW-016-85 48" - XB-PW-016-85	Washer - 1/2" (Pin Pull Rod)		8
1M	42" - XB-SLOA1054 48" - XB-SLOA1054	42" - XB-SLOA1054 48" - XB-SLOA1054	42" - XB-SLOA1054 48" - XB-SLOA1054	42" - XB-SLOA1054 48" - XB-SLOA1054	Slider Pad - 96" (long)		2
1N	42" - SLO523-07 48" - SLO523-07	42" - SLO523-07 48" - SLO523-07	42" - SLO523-07 48" - SLO523-07	42" - SLO523-07 48" - SLO523-07	Spacer		1
1P	42" - XB-STS-008-16 48" - XB-STS-008-16	42" - XB-STS-008-16 48" - XB-STS-008-16	42" - XB-STS-008-16 48" - XB-STS-008-16	42" - XB-STS-008-16 48" - XB-STS-008-16	Self Tap Screw - 5/16"-18 x 3/4"		16
1R	42" - XB-HHC-001-33 48" - XB-HHC-001-33	42" - XB-HHC-001-33 48" - XB-HHC-001-33	42" - XB-HHC-001-33 48" - XB-HHC-001-33	42" - XB-HHC-001-33 48" - XB-HHC-001-33	Bolt - 1/2"-13 x 1 1/4"		8
1S	42" - XB-SLN-012-42 48" - XB-SLN-012-42	42" - XB-SLN-012-42 48" - XB-SLN-012-42	42" - XB-SLN-012-42 48" - XB-SLN-012-42	42" - XB-SLN-012-42 48" - XB-SLN-012-42	Lock Nut - 1/2"-13		8
2A	90516945	90516945	90516945	90516945	Equalizing Beam LH (bushed beam only)		2
2B	90001215	90001215	90001215	90001215	Axle Adapter LH (outside)		2
2C	90501350	90501350	90501350	90501350	Axle Adapter LH (inside)		2
2D	90036177	90036177	90036177	90036177	Pivot Connection Wear Washer		8
2E	93201051	93201051	93201051	93201051	Pivot Bolt - 1/8"-7 x 8 1/2" LG		10
2F	93400506	93400506	93400506	93400506	Hex Lock Nut - 1 1/8"-7		6
2G	90008149	90008149	90008149	90008149	Bushing		12
2H	90036217	90036217	90036217	90036217	Axle Connection Wear Washer		16
3A	90516946	90516946	90516946	90516946	Equalizing Beam RH (bushed beam only)		2
3B	90001216	90001216	90001216	90001216	Axle Adapter RH (outside)		2
3C	90501351	90501351	90501351	90501351	Axle Adapter RH (inside)		2
4	90557223	90557223	90557223	90557194	Air Spring		4
5	90045298	90044162	90045299	90045040	Shock Absorber		4
6	90008238	90008238	90008238	90008238	Alignment Block		2
7	90508019	90508019	90508019	90508019	Pivot Bolt Assembly		2
8	90008234	90008234	90008234	90008234	Alignment Plate		4
9	93003597	93003597	93003597	93003597	Hex Bolt - 3/4"-10 x 3 1/2"		8
10	93400492	93400492	93400492	93400492	Hex Lock Nut - 3/4"-10		4
11	93400149	93400149	93400149	93400149	Hex Nut - 3/4"-16		4
12	93400136	93400136	93400136	93400136	Hex Nut - 1/2"-13		8
13	93600077	93600077	93600077	93600077	Washer - .78"		8
14	93600072	93600072	93600072	93600072	Washer - .53"		8
15	93400367	93400367	93400367	93400367	Square Nut - 3/4"-10		4
16	93003633	93003633	93003633	93003633	Hex Bolt - 3/4"-10 x 5.0"		4

* NW = EZ-Align (Non-Welded) style and WA = Welded Alignment style frame brackets.


** NSB = Bindley slider box rail style; NSH = Hutch slider box rail style; NST = TTMA slider box rail style; NSU = Utility slider box rail style.

*** Replacement components should be purchased in bushing connection SRK kits listed in NS Series Parts List, XL-AR321-02.

AIR SUSPENSIONS

Neway CB400 Series

NW900-18-621, SHOCK BRACKET, RH



AIR SUSPENSIONS

Neway CB400 Parts List

Item No.	Stoughton Number				Description	Qty.
	CB400-15.5	CB400-16.0	CB400-16.5	CB400-17.0		
1A	NW905-21-743	NW905-21-743	NW905-21-743	NW905-21-743	Frame Bracket (welded)	2
1AA	NW905-21-742	NW905-21-742	NW905-21-742	NW905-21-742	Frame Bracket (SwingAlign)	2
2	NW481-00-449 (SRK585)	NW481-00-449 (SRK585)	NW481-00-449 (SRK585)	NW481-00-449 (SRK585)	Equalizing Beam (roadside kit) Includes items 2, 3A, 3B, 3C, 3D	2
3A	NW932-01-070	NW932-01-070	NW932-01-070	NW932-01-070	Pivot Bolt – 1 1/8"-7 x 8.0" LG GR 8	4
3B	NW936-00-553	NW936-00-553	NW936-00-553	NW936-00-553	Pivot Connection Washer	8
3C	NW900-08-247	NW900-08-247	NW900-08-247	NW900-08-247	Bushing	2
3D	NW934-00-506	NW934-00-506	NW934-00-506	NW934-00-506	Hex Lock Nut – 1 1/8"-7	4
4	NW481-00-450 (SRK586)	NW481-00-450 (SRK586)	NW481-00-450 (SRK586)	NW481-00-450 (SRK586)	Equalizing Beam (curbside kit) Includes items 3A, 3B, 3C, 3D, 4	2
5	NW934-00-492	NW934-00-492	NW934-00-492	NW934-00-492	Hex Lock Nut – 3/4"-10	8
6	NW930-03-597	NW930-03-597	NW930-03-597	NW930-03-597	Hex Bolt – 3/4"-10 x 3.50" GR 5	8
7	NW900-45-298	NW900-45-298	NW900-44-162	NW900-44-162	Shock Absorber	4
8	NW930-02-903	NW930-02-903	NW930-02-903	NW930-02-903	Hex Bolt – 1/2"-10 x 1 1/4"	4
9	NW905-48-007	NW905-48-007	NW905-48-007	NW905-48-007	Threaded Rod Assembly	2
10	NW905-31-339	NW905-31-339	NW905-31-339	NW905-31-339	Alignment Plate	2
11	NW900-45-491	NW900-45-491	NW900-45-491	NW900-45-491	SwingAlign Yoke	2
12	NW934-00-149	NW934-00-149	NW934-00-149	NW934-00-149	Hex Nut – 3/4"-16	4
13	NW936-00-077	NW936-00-077	NW936-00-077	NW936-00-077	Washer – 3/4"	4
14	NW934-00-136	NW934-00-136	NW934-00-136	NW934-00-136	Hex Nut – 1/2"-13	12
15	NW936-00-072	NW936-00-072	NW936-00-072	NW936-00-072	Washer – 1/2"	12
16	NW508-57-000	NW508-57-000	NW508-57-000	NW508-57-000	Air Spring	4
17*	–	–	NW900-36-274	NW900-36-275	Spacer	4

* Single spacer only used on 16.5" and 17.0" ride heights.


Also available:

Pivot Connection Kit **NW481-00-394 (SRK530)**. Need one per axle.

Swing Align Kit **NW481-00-406 (SRK542)**. Need one kit per roadside Frame Bracket.

AIR SUSPENSIONS

Neway AR-90-1 Series



Parts List Chart B

Item No.	Stoughton Number	Description	Quantity
10	NW905-31-170 NW905-44-818 NW905-44-818 NW905-44-818 NW905-44-830	Air Spring Mounting Plate & Upper Shock Bracket – Left Hand AR-90-1-12 – 5" Round Axle AR-90-1-14 – 5" Round Axle AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	1
	NW905-31-171 NW905-44-817 NW905-44-817 NW905-44-817 NW905-44-831	Air Spring Mounting Plate & Upper Shock Bracket – Right Hand AR-90-1-12 – 5" Round Axle AR-90-1-14 – 5" Round Axle AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	1
11	NW900-44-162 NW900-44-162 NW900-44-448 NW900-44-448 NW900-44-162	Shock Absorber AR-90-1-12 – 5" Round Axle AR-90-1-14 – 5" Round Axle AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	2

Note: Numbers may change or become obsolete without notice.

AIR SUSPENSIONS

Neway AR-90-1 Parts List

Item No.	Stoughton Number	Description	Quantity
1	See Chart A	Frame Bracket – Adjustable Left Hand (shown)	1
	See Chart A	Frame Bracket – Fixed Right Hand	1
2	See Chart A	Angle Brace	4
3	NW900-36-177	Spacer Washer	12
4	NW905-16-500	Equalizing Beam – Left Hand (includes 4A & 4B)	1
	NW905-16-501	Equalizing Beam – Right Hand (includes 4A & 4B)	1
4A	NW900-08-139	Rubber Bushings (front pivot)	2
4B	NW900-08-149	Rubber Bushings (axle connection)	4
5	NW905-01-289	Axle Adapter – Left Hand	1
	NW905-01-290	Axle Adapter – Right Hand	1
6	NW934-00-492	Lock Nut – 3/4"-10	4
7	NW930-03-597	Cap Screw – 3/4"-10 x 3 1/2"	4
8	See Chart A	Air Spring Assembly	2
9	NW934-00-506	Lock Nut – 1 1/8"-7 (SmartNut® Assembly)	6
10	See Chart B	Air Spring Mounting Plate & Upper Shock Bracket Assy.	1
11	See Chart B	Shock Absorber	2
12	NW932-01-051	Cap Screw – 1 1/8"-7 x 8 1/2"	4
13	NW932-01-055	Cap Screw – 1 1/8"-7 x 9 1/4"	2
14	NW936-00-072	Lock Washer – 1/2"	4
15	NW900-08-147	Alignment Bushings	4
16	NW930-02-893	Cap Screw – 1/2"-13 x 1" (AR90-1-12)	4
	NW930-02-993	AR90-1-14 & AR-90-1-17	
	NW930-03-029	AR90-1-15 & AR-90-1-16	
17	NW934-00-149	Hex Nut – 3/4"-16	2
18	NW936-00-077	Lock Washer – 3/4"	2
19	NW934-00-136	Hex Nut – 1/2"-13	2
20	NW905-08-004	Replacement Bushings (4 per shock absorber)	8
21	NW900-18-445	Upper Shock Bracket	2
22	NW905-19-773	Lower Shock Bracket	2
23	NW900-31-182	Gusset (AR-90-1-17 only)	2


Parts List Chart A

Item No.	Stoughton Number	Description	Quantity
1	NW905-20-219 NW905-19-710 NW905-19-710 NW905-20-235 NW905-19-712	Frame Bracket – Adjustable Left Hand (shown) AR-90-1-12 – 5" Round Axle AR-90-1-14 – 5" Round Axle AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	1
	NW905-20-220 NW905-19-711 NW905-19-711 NW905-20-828 NW905-19-713	Frame Bracket – Fixed Right Hand (not shown) AR-90-1-12 – 5" Round Axle AR-90-1-14 – 5" Round Axle AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	1
2	NW900-23-002 NW900-23-002 NW900-23-002 NW900-23-001 NW900-23-001	Angle Brace AR-90-1-12 – 5" Round Axle AR-90-1-14 – 5" Round Axle AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	4
8	FS9463 FS9362 FS9463 FS9304 FS9304 FS9362	Air Spring Assembly AR-90-1-12 – 5" Round Axle – Left Hand AR-90-1-14 – 5" Round Axle AR-90-1-12 – 5" Round Axle – Right Hand AR-90-1-15 – 5" Round Axle AR-90-1-16 – 5" Round Axle AR-90-1-17 – 5" Round Axle	2

Note: Numbers may change or become obsolete without notice.

AIR SUSPENSIONS

Neway RL-196 Series



Parts List Chart A

Item No.	Stoughton Number	Description	Quantity
1	NW905-20-846 NW905-20-620 NW905-21-142 NW905-20-340 NW905-20-340	Frame Bracket – Adjustable RL-196-12 RL-196-14 RL-196-15 RL-196-16 RL-196-17	2
2	NW900-23-002 NW900-23-002 NW900-23-002 NW900-23-001 NW900-23-001	Angle Brace RL-196-12 RL-196-14 RL-196-15 RL-196-16 RL-196-17	4
8	FS9294 FS9293 FS9295 FS9295 FS9291	Air Spring Assembly RL-196-12 RL-196-14 RL-196-15 RL-196-16 RL-196-17	2
11	NW900-44-977 NW900-44-978 NW900-44-978 NW900-44-979 NW900-44-979	Shock Absorber RL-196-12 RL-196-14 RL-196-15 RL-196-16 RL-196-17	2
16	NW930-02-921 NW930-02-969 NW930-02-993 NW930-02-993 NW930-03-029	Cap Screw RL-196-12 – Cap Screw – 1/2"-13 x 2" RL-196-14 – Cap Screw – 1/2"-13 x 4" RL-196-15 – Cap Screw – 1/2"-13 x 5" RL-196-16 – Cap Screw – 1/2"-13 x 5" RL-196-17 – Cap Screw – 1/2"-13 x 6 1/2"	2

Note: Numbers may change or become obsolete without notice.

AIR SUSPENSIONS


Neway RL-196 Parts List

Item No.	Stoughton Number	Description	Quantity
1	See Chart A	Frame Bracket – Adjustable	2
2	See Chart A	Angle Brace	4
3	NW900-36-177	Spacer Washer	12
4	NW905-16-542	Equalizing Beam – Left Hand (Includes 4A)	1
	NW905-16-543	Equalizing Beam – Right Hand (Includes 4A)	1
4A	NW900-08-149	Rubber Bushing	6
5	NW481-00-291	Axle Adapter – Left Hand 5" Round Axle	1
	NW481-00-292	Axle Adapter – Right Hand 5" Round Axle	1
6	NW934-00-492	Lock Nut – 3/4"-10	2
7	NW930-03-597	Cap Screw – 3/4"-10 x 3 1/2"	2
8	See Chart A	Air Spring Assembly	2
9	NW934-00-506	Lock Nut – 1 1/8"-7	6
10	NW905-31-204	Air Spring Mounting Plate & Upper Shock Bracket Assy. – Left Hand	1
	NW905-31-205	Air Spring Mounting Plate & Upper Shock Bracket Assy. – Right Hand	1
11	See Chart A	Shock Absorber	2
12	NW932-01-051	Cap Screw – 1/8"-7 x 8 1/2"	4
13	NW932-01-055	Cap Screw – 1/8"-7 x 9 1/4"	2
14	NW936-00-072	Lock Washer – 1/2"	4
15	NW900-08-147	Alignment Bushings	4
16	See Chart A	Cap Screw	2
17	NW934-00-149	Hex Nut – 3/4"-16	2
18	NW936-00-077	Lock Washer – 3/4"	2
19	NW934-00-136	Hex Nut – 1/2"-13	2
20	NW905-08-004	Replacement Bushings (4 per shock absorber)	4
21	NW900-18-445	Upper Shock Bracket	2
22	NW900-08-182	Rubber Bushing – Lower Shock Connector	2
23	NW936-00-168	Flat Washer 1"	1
24	NW934-00-500	Lock Nut – 1"-8	2

Note: Numbers may change or become obsolete without notice.

AIR SUSPENSIONS

Neway RL-196A-12, -14, -15, -16 and -17 Series



Parts List Chart A

Item No.	Stoughton Number	Description	Quantity
1	NW905-20-846 NW905-20-568 *NW905-20-561 *NW905-20-843	Frame Bracket – “Weld Align” RL-196A-12 RL-196A-14 RL-196A-15 RL-196A-16, 17	2*
1A	*NW905-20-859 NW905-20-858 *NW905-20-856 *NW905-20-857	Non-Weld (EZ-ALIGN™) Frame Bracket LH (Includes 15A) RL-196-12 RL-196-14 RL-196-15 RL-196-16, 17	1
1B**	NW905-20-363 *NW905-20-338	Adjustable Frame Bracket RH – “Weld Align” RL-196-14 (Slider) RL-196-15 (Slider)	1
1B**	NW905-20-858 NW905-20-473	Non-Weld (EZ-ALIGN™) Frame Bracket LH (Includes 15A) RL-196-14 (Slider) RL-196-15 (Slider)	1

* For Non-Weld (EZ-ALIGN™) application reduce quantity used per axle to the following: quantity 2 changes to 1, quantity 4 changes to 2.

** For 16" and 17" ride height applications, use the standard Frame Brackets listed (Adjustable and/or Non-Weld alignments).

Note: Numbers may change or become obsolete without notice.

Contact Stoughton Parts Sales or Holland USA / Neway Technical Assistance with any questions

AIR SUSPENSIONS

Neway RL-196A-12, -14, -15, -16 and -17 Parts List


Item No.	Stoughton Number	Description	Quantity	Ride Height
1	See Chart A	Adjustable Frame Bracket	2	
1A	See Chart A	Non-Weld (EZ-ALIGN™) Frame Bracket LH (Includes 15A)	1	
1B	See Chart A	Adjustable Frame Bracket RH	1	
1B	See Chart A	Non-Weld (EZ-ALIGN™) Frame Bracket LH (Includes 15A)	1	
2	NW900-25-257	Angle Brace	4	12
2	NW900-23-002	Angle Brace	4	14, 15
2	NW900-23-001	Angle Brace	4	16, 17
3	NW900-36-177	Spacer Washer	12	All
4	NW905-16-542	Equalizing Beam LH (includes key #4A)	1	All
4	NW905-16-543	Equalizing Beam RH (includes key #4A)	1	All
4A	NW900-08-149	Rubber Bushing	6	All
5	NW905-01-261	Axle Adapter LH (inside)	1	All
5	NW905-01-262	Axle Adapter RH (inside)	1	All
5A	NW900-01-215	Axle Adapter LH (outside)	1	All
5A	NW900-01-216	Axle Adapter RH (outside)	1	All
6	NW934-00-492	Lock Nut – 3/4"-10	2	All
7	NW930-03-609	Cap Screw – 3/4"-10 x 4" Gr5 (lower shock bracket)	2	All
7A	NW930-03-597	Cap Screw – 3/4"-10 x 3 1/2" Gr5 (upper shock bracket)	2	All
8	NW905-57-173	Air Spring Assembly	2	12
8	FS9293	Air Spring Assembly	2	14
8	FS9295	Air Spring Assembly	2	15, 16
8	NW905-57-139	Air Spring Assembly	2	17
9	NW934-00-506	Lock Nut – 1 1/8"-7	6	All
10	NW900-33-785	Air Spring Mounting Plate	2	All
11	NW900-44-162	Shock Absorber	2	12
11	NW900-45-040	Shock Absorber	2	14, 15
11	NW900-44-794	Shock Absorber	2	16, 17
12	NW932-01-051	Cap Screw – 1 1/8"-7 x 8 1/2" Gr8	4	
13	NW932-01-055	Cap Screw – 1 1/8"-7 x 9 1/4" Gr8	2*	All
13A	NW905-08-009	Cap Screw – 1 1/8"-7 x 9 1/4" (non-weld application)	1	All
14	NW936-00-072	Lock Washer – 1/2"	4*	All
15	NW900-08-147	Alignment Bushing	4*	All
15A	NW900-08-185	Alignment Bushing (non-weld application) (not available)	2	All
15B	NW900-08-196	Alignment Bushing (non-weld application)	1	All
16	NW934-00-367	Square Nut – 3/4"-10	2	All
17	NW934-00-149	Hex Nut – 3/4"-16	2	All
18	NW936-00-077	Lock Washer – 3/4"	4	All
19	NW934-00-136	Hex Nut – 1/2"-13	4	All
20	NW905-08-004	Replacement Shock Bushing	8	All
21	NW900-18-445	Upper Shock Bracket	2	All
Service Repair Kits				
	NW481-00-206	SRK-149 – Axle Connection (5" round, 20" wheel)	1	All
	NW481-00-264	SRK-203 – Pivot Connection, Adjustable	1	All
	NW481-00-295	SRK-233 – Pivot Connection, Non-Weld	1	All

* For Non-Weld (EZ-ALIGN™) application reduce quantity used per axle to the following: quantity 2 changes to 1, quantity 4 changes to 2.

Note: Numbers may change or become obsolete without notice.

AIR SUSPENSIONS

Reyco 86AR / RS1015 Air Ride



LOCKPINS & COMPRESSION SPRINGS

Rail Mfg.	Stoughton Number	
	Lockpin	Compression Spring
Binkely Hutch	RT19753-01* RT19630-01**	RT19638-01 RT19638-01

* After 02-00, use RT20740-02

** After 02-00, use RT20740-01

HANGERS

Stoughton Number	Size	Remarks
RT22662-01	8 1/2"	1997 - Newer
RT1605-00	7 1/2"	Now Obsolete & Unavailable

PULL HANDLE

Stoughton Number
RT21225-48

SLIDER CLIPS

Stoughton Number
RT19766-01

AFTERMARKET PNEUMATIC PIN PULLER "KIT"


Stoughton Number
RT703334-01

Note: Reyco no longer offers slider rails.

RT18734-01
HCV LINKAGE

Rear View

RT0972901
T.A. BUSHING,
31-41-102W



AIR SUSPENSIONS

Reyco 86AR / RS1015 Air Ride Parts List

Item No.	Stoughton Number	Description	Quantity (Tandem)
2	RT19913-01	Left Beam	2
3	RT19914-01	Right Beam	2
4	RT0075-20	Rigid Torque Arm	2
5	RT1035-20	Adjustable Torque Arm	2
6	See Chart A	Axle Seat	4
7	RT23334-01	Top Plate	4
8	See Chart A	Bottom Plate (5" Round Axle)	4
9	See Chart A	U-Bolt (5" Round Axle)	8
10	RT14344-01	Locknut – 3/4" (19.0 mm)	16
11	RTT5496	Washer – 3/4" (19.0 mm)	16
12	RT0001-08	Torque Arm Bolt – 7/8" (22.2 mm)	12
13	RT14345-01	Locknut – 7/8" (22.2 mm)	12
14	RT20018-01	Air Spring – Same as FS7555	4
15	RT21491-01	Track Rod Bracket	4
16	RT19788-02	Air Spring Support – 72" Axle Spacing, 42" Frame Width	2
	RT19789-02	Air Spring Support – 72" Axle Spacing, 48" Frame Width	2
18	RT20012-01	Track Rod (rigid) – 72" Axle Spacing, 42" Frame Width	2
	RT10910-01	Track Rod (rigid) – 72" Axle Spacing, 48" Frame Width	2
19	RT17353-01	Bolt – 1/2" (12.7 mm) – Grade 8	12
20	RT0002-05	Locknut – 1/2" (12.7 mm)	12
21	RT0003-07	Washer – 1/2" (12.7 mm)	12
22	GF85006	Shock Absorbers – Same as GF 85006	4
23	RT0821001	Shock Absorber Bolt	8
24	RT14344-01	Shock Absorber Nut	8
25	RTT5496	Washer – 3/4" (19.0 mm)	8
26	RT20029-01	Nut – 3/8" (9.5 mm)	8
27	RT12920-01	Nut – 1/2" (12.7 mm)	4
28	RTT1705	Lockwasher – 1/2" (12.7 mm)	4
29	RT08211-01	Nut – 3/4" (19.0mm)	4
30	RTT3164	Lockwasher – 3/4" (19.0 mm)	4
31	RTT1859	Lockwasher – 3/8" (9.5 mm)	8
32	RT1979001	Lower Air Spring Plate	4
33	RT18842-01	Bolt – 7/8"-14 x 3" (22.2 mm-14 x 76.2 mm)	4
34	RT14345-01	Locknut – 7/8" (22.2 mm)	4
35	RTT7292	Washer – 7/8" (22.2 mm)	4
36	RT23329-01	1/4" (6.4 mm) Height Control Valve	1
	RT23329-02	3/8" (9.5 mm) Height Control Valve	1
37	RT19354-159	Height Control Valve Link	1
41	Call	Self Tapping Screw – 1/4" x 2 1/2" (12.7mm x 63.5mm)	2
	RT12915-03	Pressure Protection Valve	1
	Call	Filter	1



Chart A - 86AR Axle Seat - 5" Round Axle

Mounting Height	(6) Axle Seat	(8) Bottom Plate	(9) U-Bolt	U-Bolt Length
14"	0636-01	0538-00	19780110	11"
14 1/2"	0636-015	0538-00	19780115	11 1/2"
15"	0636-02	0538-00	19780120	12"
15 1/2"	0636-025	0538-00	19780125	12 1/2"
16"	0636-03	0538-00	19780130	13"
16 1/2"	0636-035	0538-00	19780135	13 1/2"
17"	0636-04	0538-00	19780140	14"

0836 (series) obsolete, superseded by 0636 (series)

AIR SUSPENSIONS

Reyco 86AR-RS1035 Anti Dock Walk



HANGER, FRONT TO BACK


Stoughton Number	"A"	Description
RT22662-01	8 1/2"	New Style

PULL HANDLE

Stoughton Number
RT21225-48

SLIDER CLIPS

Stoughton Number
RT19766-01



RT703940-01
DRAWBAR SPRING ASSY,
15.25in

LOCKPINS & COMPRESSION SPRINGS

Rail Mfg.	Stoughton Number	
	Lockpin	Compression Spring
Binkely Hutch	RT19753-01*	RT19638-01
	RT19630-01**	RT19638-01

* After 02-00, use RT20740-02

** After 02-00, use RT20740-01

AIR SUSPENSIONS

Reyco 86AR-RS1035 Anti Dock Walk Parts List

Item No.	Stoughton Number	Description	Quantity (Tandem)
1	RT21580-42	Slider/Hanger Assembly – 49" Axle Spacing, 42" Frame Width	1
	RT21580-48	Slider/Hanger Assembly – 49" Axle Spacing, 48" Frame Width	1
2	RT19913-01	Left Beam	2
3	RT19914-01	Right Beam	2
4	RT0075-20	Rigid Torque Arm	2
5	RT1035-20	Adjustable Torque Arm	2
6	See Chart A	Axle Seat (5" Round Axle)	4
7	RT23334-01	Top Plate	4
8	See Chart A	Bottom Plate (5" Round Axle)	4
9	See Chart A	U-Bolt (5" Round Axle)	8
10	RT14344-01	Locknut – 3/4" (19.0 mm)	16
11	RTT5496	Washer – 3/4" (19.0 mm)	16
12	RT0001-08	Bolt, Torque Arm – 7/8" (22.2 mm)	12
13	RT14345-01	Locknut – 7/8" (22.2 mm)	12
14	RT20018-01	Air Spring – Same as FS 7555	4
15	RT21491-01	Track Rod Bracket	4
16	RT19788-02	Air Spring Support – 49" Axle Spacing, 42" Frame Width	2
	RT19789-02	Air Spring Support – 49" Axle Spacing, 48" Frame Width	2
	RT19788-02	Air Spring Support – 72" Axle Spacing, 42" Frame Width	2
	RT19789-02	Air Spring Support – 72" Axle Spacing, 48" Frame Width	2
18	RT20012-01	Track Rod – 49" or 72" Axle Spacing, 42" Frame Width	2
	RT10910-01	Track Rod – 49" or 72" Axle Spacing, 48" Frame Width	2
19	RT17353-01	Bolt – 1/2" (12.7 mm) – Grade 8	12
20	RT0002-05	Locknut – 1/2" (12.7 mm)	12
21	RT0003-07	Washer – 1/2" (12.7 mm)	12
22	GF85006	Shock Absorbers	4
23	RT0821001	Shock Absorber Bolt	8
24	RT14344-01	Shock Absorber Nut	8
25	RTT5496	Washer – 3/4" (19.0 mm)	8
26	RT20029-01	Nut – 3/8" (9.5 mm)	8
27	RT12920-01	Nut – 1/2" (12.7 mm)	4
28	RTT1705	Lockwasher – 1/2" (12.7 mm)	4
29	RT08211-01	Nut – 3/4" (19.0 mm)	4
30	RTT3164	Lockwasher – 3/4" (19.0 mm)	4
31	RTT1859	Lockwasher – 3/8" (9.5 mm)	8
33	RT18842-01	Bolt – 7/8" (22.2 mm) -14 x 3" (76.2 mm)	4
34	RT14345-01	Locknut – 7/8" (22.2 mm)	4
35	RTT7292	Washer – 7/8" (22.2 mm)	8
36A	RT23329-01	1/4" Height Control Valve & Linkage	1
36B	RT20108-02	3/8" Height Control Valve & Linkage	1
41	RT20161-01	Self Tapping Screw – 1/4" (12.7 mm) x 2 1/2" (63.5 mm)	2


Chart A - 86AR Axle Seat - 5" Round Axle

Mounting Height	(6) Axle Seat	(8) Bottom Plate	(9) U-Bolt	U-Bolt Length
14"	0636-01	0538-00	19780110	11"
14 1/2"	0636-015	0538-00	19780115	11 1/2"
15"	0636-02	0538-00	19780120	12"
15 1/2"	0636-025	0538-00	19780125	12 1/2"
16"	0636-03	0538-00	19780130	13"
16 1/2"	0636-035	0538-00	19780135	13 1/2"
17"	0636-04	0538-00	19780140	14"

0836 (series) obsoleted. Superseded by 0636 (series)

AIR SUSPENSIONS

Hendrickson / Turner Model 190



Note: For a K-Frame Slider, use Air Bag **HTC-22045** or call Hendrickson customer support.

SLIDER CLIPS

Stoughton Number
HTS-14108

AIR SUSPENSIONS

Hendrickson / Turner Model 190 Parts List

Item No.	Stoughton Number	Description	Quantity
1	HTS-20001	Shock Absorber	2
2	HTS-20031/2	Shock Bolt Kit	1
3	HTS-20032	U-Bolt Kit	1
4	HTS-20033/2	Air Spring Bolt Kit	1
5	HTS-3646	Pivot Bolt Kit	2
6	HTS-11613	Bushing Wear Pad	4
7	HTS-20700	Alignment Collar	4
8	HTS-20701	Axle Spacer	4
9	HTS-20010	Air Spring	2
10	HTS-20000-1	Beam & Bushing – Left Hand	1
11	HTS-20000-2	Beam & Bushing – Right Hand	1
12	See Chart B	Frame Bracket Assembly – Left Hand	1
13	See Chart B	Frame Bracket Assembly – Right Hand	1
14	See Chart A	Mount, Air Spring/Shock – Left Hand	1
15	See Chart A	Mount, Air Spring/Shock – Right Hand	1
16	HTA-1631-19	Frame Bracket Channel	1
17	HTS-6914	Tri-functional Bushing Kit	2
18	HTC-20016-1	Air Spring Spacer – Model 15-002	2
	HTC-20016-2	Air Spring Spacer – Model 16-002	2
	HTC-20016-3	Air Spring Spacer – Model 17-002	2
19	HTC-20069	Lower Shock Clevis	2

Parts List Chart A

Item No.	Stoughton Number	Description	Item No.	Stoughton Number	Description
14		Mtg. Air Spring/Shock – Left Hand	15		Mtg. Air Spring/Shock – Right Hand
	HTC20011-1 HTS20023 HTB20035	Model 14-003 Assembly Upper Shock Bracket Air Spring Plate		HTC20011-2 HTC20023 HTC20035	Model 14-003 Assembly Upper Shock Bracket Air Spring Plate
	HTC20012-1 HTS20023 HTC20016-1	Model 15-003 Assembly Upper Shock Bracket Air Spring Plate		HTC20012-2 HTC20023 HTC20016-1	Model 15-003 Assembly Upper Shock Bracket Air Spring Plate
	HTC20013-1 HTS20023 HTC20016-2	Model 16-003 Assembly Upper Shock Bracket Air Spring Plate		HTC20013-2 HTC20023 HTC20016-2	Model 16-003 Assembly Upper Shock Bracket Air Spring Plate
	HTC20014-1 HTS20023 HTC20016-3	Model 17-003 Assembly Upper Shock Bracket Air Spring Plate		HTC20014-2 HTC20023 HTC20016-3	Model 17-003 Assembly Upper Shock Bracket Air Spring Plate


Parts List Chart B

Item No.	Stoughton Number	Description	Item No.	Stoughton Number	Description
12		Frame Bracket – Left Hand	13		Frame Bracket – Right Hand
	HTC-15027-1	Model 14-001 Model 14-002 Model 15-001 Model 15-002		HTC-15027-2	Model 14-001 Model 14-002 Model 15-001 Model 15-002
	HTC-15027-1	Model 14-003 Model 15-003		HTC15027-2	Model 14-003 Model 15-003
	HTC-15028-1	Model 16-001 Model 16-002 Model 17-001 Model 17-002		HTC15028-2	Model 16-001 Model 16-002 Model 17-001 Model 17-002
	HTC-15028-1	Model 16-003 Model 17-003		HTC15028-2	Model 16-003 Model 17-003

AIR SUSPENSIONS

Hendrickson / Turner Model 230

HTVS-227
HEIGHT CONTROL
VALVE, UNIVERSAL



Item No.	Stoughton Number	Description	Quantity
1	HTA1631-19	Frame Bracket Channel	1
2	HTS20002	Shock Absorber	2
3	HTS20031/2	Shock Bolt Kit	1
4	HTA20032	U-Bolt Kit	1
5	HTS20033/2	Air Spring Bolt Kit	1
6	HTS3646	Pivot Bolt Kit	2
7	HTS11613	Bushing Wear Pad	4
8	HTB20701	Axle Spacer	4
9	HTS2770	Alignment Collar	4
10	See Chart B	Frame Bracket Assembly – Left Hand	1
11	See Chart B	Frame Bracket Assembly – Right Hand	1
12	HTS20010	Air Spring	2
13	See Chart A	Mount, Air Spring/Shock – Left Hand	1
14	See Chart A	Mount, Air Spring/Shock – Right Hand	1
15	HTS20000-1	Beam & Bushing – Left Hand	1
16	HTS20000-2	Beam & Bushing – Right Hand	1
17	HTS6914	Tri-functional Bushing Kit	2
18	HTC20016-2	Air Spring Spacer – Model 16-004	2
19	HTC20069	Lower Shock Clevis	2

AIR SUSPENSIONS

Hendrickson / Turner Model 230 Parts List

Parts List Chart A

Item No.	Stoughton Number	Description
13		Mtg. Air Spring/Shock – Left Hand
	HTC20011-1 HTS20023 HTB20035	Models 14-001 & 15-003 Assy Upper Shock Bracket Air Spring Plate
	HTC20015-1 HTS20023 HTC20037	Models 14-002 & 15-004 Assy Upper Shock Bracket Air Spring Plate
	HTC20021-1 HTS20023 HTC20016-1	Models 15-001 & 15-005 Assy Upper Shock Bracket Air Spring Plate
	HTC20040-1 HTS20023 HTC20043-1	Model 15-002 Assembly Upper Shock Bracket Air Spring Plate
	HTC20013-1 HTC20023 HTC20016-2	Models 16-001, 17-003 & 17-005 Assy Upper Shock Bracket Air Spring Plate
	HTC20041-1 HTC20023 HTC20043-2	Models 16-002, 17-004 & 17-006 Assy Upper Shock Bracket Air Spring Plate
	HTC20014-1 HTC20023 HTC20016-3	Model 17-001 Assembly Upper Shock Bracket Air Spring Plate
	HTC20042-1 HTC20023 HTC20043-2	Model 17-002 Assembly Upper Shock Bracket Air Spring Plate

Item No.	Stoughton Number	Description
14		Mtg. Air Spring/Shock – Right Hand
	HTC20011-2 HTS20023 HTB20035	Models 14-001 & 15-003 Assy Upper Shock Bracket Air Spring Plate
	HTC20015-2 HTS20023 HTC20037	Models 14-002 & 15-004 Assy Upper Shock Bracket Air Spring Plate
	HTC20021-2 HTS20023 HTC20016-1	Models 15-001 & 15-005 Assy Upper Shock Bracket Air Spring Plate
	HTC20040-2 HTS20023 HTC20043-1	Model 15-002 Assembly Upper Shock Bracket Air Spring Plate
	HTC20013-2 HTS20023 HTC20016-2	Models 16-001, 17-003 & 17-005 Assy Upper Shock Bracket Air Spring Plate
	HTC20041-2 HTS20023 HTC20043-2	Models 16-002, 17-004 & 17-006 Assy Upper Shock Bracket Air Spring Plate
	HTC20014-2 HTS20023 HTC20016-3	Model 17-001 Assembly Upper Shock Bracket Air Spring Plate
	HTC20042-2 HTS20023 HTC20043-2	Model 17-002 Assembly Upper Shock Bracket Air Spring Plate

Parts List Chart B

Item No.	Stoughton Number	Description
10		Frame Bracket – Left Hand
	HTC20005-1	Model 14-001 Model 15-001 Model 15-003 Model 15-005
	HTC20007-1	Model 14-002 Model 15-002 Model 15-004
	HTC20047-1	Model 14-003 Model 14-004
	HTC20006-1	Model 16-001 Model 17-001 Model 17-003 Model 17-005
	HTC20008-1	Model 16-002 Model 17-002 Model 17-004
	HTC20048-1	Model 16-003 Model 16-004 Model 17-006

Item No.	Stoughton Number	Description
11		Frame Bracket – Right Hand
	HTC20005-2	Model 14-001 Model 15-001 Model 15-003 Model 15-005
	HTC20007-2	Model 14-002 Model 15-002 Model 15-004
	HTC20047-2	Model 14-003 Model 14-004
	HTC20006-2	Model 16-001 Model 17-001 Model 17-003 Model 17-005
	HTC20008-2	Model 16-002 Model 17-002 Model 17-004
	HTC20048-2	Model 16-003 Model 16-004 Model 17-006

AIR SPRINGS

Crossover Chart From Conti-Tech to Industry Common Numbers

Conti-Tech Number	Industry Common Number
CON7555	W01-358-7555
CON8050	W01-358-8050
CON8204	W01-358-8204
CON8709	HTS-21800
CON8709	W01-358-8709
CON8713	HTS-22948
CON8729	W01-358-8729
CON8755	HTS-22045
CON8755	W01-358-8755
CON8944	W01-358-8944
CON9039	W01-358-9039
CON9082	W01-358-9082
CON9101	W01-358-9101
CON9243	W01-358-9243
CON9265	W01-358-9265
CON9270	HTS-20010
CON9270	W01-358-9270
CON9293	W01-358-9293
CON9295	W01-358-9295
CON9307	W01-358-9307
CON9321	W01-358-9321
CON9362	W01-358-9362
CON9365	W01-358-9365
CON9366	W01-358-9366
CON9394	W01-358-9394
CON9484	W01-358-9484
CON9580	HTS-20127
CON9640	W01-358-9640
CON9780	W01-358-9780
CON9807	NW508-57-000

Conti-Tech Number	Industry Common Number
CON9921	W01-358-9921
CON9923	W01-358-9923
CON9270	HTS-20010
CON9580	HTS-20127
CON8709	HTS-21800
CON8755	HTS-22045
CON8713	HTS-22948
CON9807	NW508-57-000
CON7555	W01-358-7555
CON8050	W01-358-8050
CON8204	W01-358-8204
CON8709	W01-358-8709
CON8729	W01-358-8729
CON8755	W01-358-8755
CON8944	W01-358-8944
CON9039	W01-358-9039
CON9082	W01-358-9082
CON9101	W01-358-9101
CON9243	W01-358-9243
CON9265	W01-358-9265
CON9270	W01-358-9270
CON9293	W01-358-9293
CON9295	W01-358-9295
CON9307	W01-358-9307
CON9321	W01-358-9321
CON9362	W01-358-9362
CON9365	W01-358-9365
CON9366	W01-358-9366
CON9394	W01-358-9394
CON9484	W01-358-9484
CON9640	W01-358-9640
CON9780	W01-358-9780
CON9921	W01-358-9921
CON9923	W01-358-9923

AIR SPRINGS

Crossover Chart

Firestone Number	Neway Number	Goodyear Number	Hendrickson / Turner Number
FS5505	905-57-103	*	*
FS6803	*	*	HTS-6412
FS6890	905-57-228	*	*
FS6902	*	2B9-201	*
FS6905	*	2B9-206	S-3518 / S-5270
FS7135	905-57-001	2B14-360	*
FS7136	*	2B14-356	S-1080
FS7140	*	2B14-359	S-3184
FS7400	905-57-016	2B12-309	S-1013
FS7403	*	2B12-307	S-1159 / S-2883
FS7405	*	2B12-313	*
FS7410	*	2B12-406	*
FS7424	905-57-014	2B12-300	*
FS7798	*	3B14-356	*
FS8050	*	1R14-039	S-4771
FS8204	905-57-223	*	*
FS8708	*	*	S-21966
FS8709	*	*	S-20900
FS8746	905-57-235	*	*
FS8755	*	*	S-22045
FS8803	905-57-94	*	*
FS8944	*	*	S-20217
FS8949	905-57-150	*	*
FS9039	905-57-023	*	S-2064 / S-11650
FS9069	*	1R12-069	*
FS9082	905-57-027	1R12-093	S-2066 / B-11651
FS9083	*	1R12-066	S-1561
FS9098	*	1R12-014	*
FS9101	905-57-009	*	*
FS9105	*	*	S-1245
FS9121	905-57-078	*	*
FS9122	905-57-077	1R13-038	S-3467 / S-3830
FS9177	905-57-003	1R14-028	S-2065
FS9192	905-57-086	1R12-167	S-6195
FS9213	*	1R12-090	*
FS9264	*	*	S-13122
FS9265	*	*	S-20124
FS9270	*	*	S-20010
FS9291	905-57-122, -139	*	*
FS9293	905-57-120	*	*
FS9293	905-57-120	*	*
FS9294	905-57-127	*	*
FS9295	905-57-121	*	*
FS9304	905-57-124	*	*
FS9362	905-57-113	*	*
FS9365	905-57-159	*	*
FS9366	905-57-225	*	*
FS9422	*	1R11-028	*
FS9463	905-57-130, -131	*	*
FS9626	*	*	S-23720
FS9921	905-57-117	*	*
FS9923	905-57-118	*	*

* Crossover Unknown

SPRINGS

Stoughton



ONE LEAF ARCH

Stoughton Number	"A"	Remarks
HSH363-00	5.94"	TRA 021
HSH360-00	8.06"	TRA 023



THREE LEAF ARCH


Stoughton Number	"A"	Remarks
HSH354-00	8.15"	TRA 2726
HSH355-00	6.59"	TRA 2727
HSH356-00	5.96"	TRA 2728
HSH365-00	8.09"	TRA 2740
HSH365-01	5.97"	TRA 2741
HSTRA-693	6.625"	FRUEHAUF UCD0511-1
HSTRA-697	4.13"	FRUEHAUF UAC007981-001
HSTRA-1492	6.5625"	TRA 3-A3-62



FOUR LEAF ARCH


Stoughton Number	"A"
HSTRA-699	8.13"

Note: Binkley $\frac{3}{4}$ " Square Top U-Bolts available. Call with your needs.



U-BOLT "KIT"

Stoughton Number	"A"	"B"	"C"
UB311	11"	3 $\frac{1}{8}$ "	$\frac{7}{8}$ "
UB312	12"	3 $\frac{1}{8}$ "	$\frac{7}{8}$ "
UB313	13"	3 $\frac{1}{8}$ "	$\frac{7}{8}$ "
UB314	14"	3 $\frac{1}{8}$ "	$\frac{7}{8}$ "
UB315	15"	3 $\frac{1}{8}$ "	$\frac{7}{8}$ "
UB514	14"	5 $\frac{1}{8}$ "	$\frac{7}{8}$ "




U-BOLT

Stoughton Number	"A"	"B"
H7040-11	12 $\frac{1}{4}$ "	3"


BODY RAILS AND STOP BAR ASSEMBLIES

Hutch H-8200 / H8800



BODY RAILS FOR HUTCH H-8200 SLIDER


Stoughton Number	Rail Length
H18150-19	240"



BODY RAILS FOR HUTCH H-8800, H2001 / 2011 SLIDERS

Stoughton Number	Rail Length
04-50517-228-00	228"
H12713-15	228"
H12713-31	232"
H12713-39	184"
H12713-14	216"
H12713-40	236"

BKSL0854-11
SLIDER RAIL, 19ft 8in



BINKLEY SLIDER RAIL

Stoughton Number	Rail Length
BKSL0853-40	240" - Trailer
BKSL0A1095	178.5" - Chassis


Note: Reyco no longer offers slider rails

Hendrickson no longer offers slide rails

For TTMA Rails use **04 50563 228 00** (228")
1-1/2IN HOLES

Note: Binkley 6" OC / Hutch 4" OC
TTMA 4" OC
Hutch **1-5/8"** Holes
Binkley and TTMA 1 1/2" Holes

Note: For use with TTMA Slider Rails,
Hutch **20669-02** (48" frame width) –
New as of 5/03



OBSOLETE


MANUAL STOP BAR ASSEMBLIES
FOR HUTCH SLIDER H-8200

Stoughton Number	Frame Width
H11485-11	38"
H11485-12	40"
H11485-14	42"
H11485-15	48"
H11485-17	47"

MANUAL STOP BAR ASSEMBLIES
FOR HUTCH SLIDER H-8800


Stoughton Number	Frame Width
H11642-05	42"
H11642-10	48"
H11642-12	44"

MANUAL STOPBAR 49.63in FOR CB400
BKSL0502-48 (TTMA RAILS)



BINKLEY QUICK-RELEASE

Type	Stoughton Number	Frame Width
For Van Slides	BKSL0724-42	42"
	BKSL0724-48	48"
For Flatbed Slides	BKSL0724-32	32"
	BKSL0724-38	38"




ANCHOR PLATE / EXTENSION ARM

Stoughton Number	Description
01-04255-002-00	Extension Arm
01-14989-000-00	Anchor Plate
01-16197-000-00	1 Piece Assembly

Call with VIN (Serial Number) for correct application

SPRING SUSPENSIONS

Hutch H-7700 (Obsolete – Available as service parts only)



EQUALIZER BOLT KIT
"LONG SAC KIT"

Stoughton Number
H10287-01

SPRING SUSPENSIONS

Hutch H-7700 Parts List

Item No.	Stoughton Number	Description	Quantity		
			Single	Tandem	Multi-axe
1	See Chart A	Front Spring Hanger	2	2	0
2	See Chart A	Center Equalizer Hanger	0	2	2
3	See Chart A	Rear Spring Hanger	2	2	0
4	H719-02	Torque Arm Bolt – Hex Bolt – 1-14UNSx5	4	8	4
5	H16398-04	Adj. Torque Arm with Bushing – 19 1/4" Long	1	2	1
6	H10562-00	Flange Locknut - 14UNS	4	8	4
7	H7040-11	U-Bolt 2 1/4" x 12 1/4"	4	8	4
8	H16868-01	Top Plate	2	4	2
9	H7052-02	Delrin Liner	2	4	2
10	Call for No.	Spring Assembly - Standard 3 Leaf	2	4	2
11	See Chart B	Spring Seat - 5" Round	2	4	2
12	H710-00	Bottom Plate - 5" Round	2	4	2
13	H35-00	Washer – P1, 5/16" ID x 1 3/4" OD	8	16	8
14	H34-04	Hex Nut – 7/8"-14UNF	8	16	8
15	H7016-01	Step Bolt – 5/8"-18UNF x .750 x 6	0	4	4
16	H750-03	Equalizer with Rubber Bushing	0	2	2
17	H37-03	Hex Locknut – 5/8"-18UNF	2	10	8
18	H756-00	Sleeve Spacer – 3/4" OD x 18 Ga x 3 1/4"	2	6	4
19	H759-00	Hex Bolt – 5/8"-18UNF x 4 1/2"	2	6	4
20	H729-00	Double Washer – Lock Tab, 5/8"	0	2	2
21	H715-00	Non-Adj. Torque Arm with Bushing – 19 1/4" Long	1	2	1
	H722-00	Torque Arm Bushings (not shown)			

Parts List Chart A

Item No.	Stoughton Number	Description	Quantity		
			Single	Tandem	Multi-axe
1	H7701-01 H20728-01 H20729-01 H20730-01 H7701-05 H7701-06 H7701-07 H7701-08	Front Hanger Straddle Mount Under Mount Side Mount – Left Side Mount – Right Flange Mount - Weld-on – Left Flange Mount - Weld-on – Right Flange Mount - Bolt-on – Left Flange Mount - Bolt-on – Right	2	2	0
2	H7702-01 H7702-02 H7702-03 H7702-04 H7702-05	Equalizer Hanger Straddle Mount Under Mount Side Mount Flange Mount – Weld-on Flange Mount – Bolt-on	0	2	2
3	H7703-01 H20732-01 H20733-01 H20734-01 H7703-05 H7703-06 H7703-07 H7703-08	Rear Hanger Straddle Mount Under Mount Side Mount – Left Side Mount – Right Flange Mount – Weld-on – Left Flange Mount – Weld-on – Right Flange Mount – Bolt-on – Left Flange Mount – Bolt-on – Right	2	2	0


Parts List Chart B

Seat Height	3/4"	1 1/4"	1 3/4"	2 1/4"	2 3/4"	3 1/4"	3 3/4"	4 1/4"	4 3/4"
5" Round	H19360-01	H19360-02	H19360-03	H19360-04	H19360-05	H19360-06	H19360-07	H19360-08	H19360-09
5" x 5" Square	H19365-01	H19365-02	H19365-03	H19365-04	H19365-05	H19365-06	H19365-07	H19365-08	H19365-09
4" x 6" Rect.	H19364-01	H19364-02	H19364-03	H19364-04	H19364-05	H19364-06	H19364-07	H19364-08	H19364-09

SPRING SUSPENSIONS

Hutch H-9700

Note: Shown overslung with 3/4 seat



EQUALIZER BOLT KIT

Stoughton Number
H16353-01

SUSPENSION KITS*

Stoughton Number	Description
H9700-MAC	Multi-Axle Conversion
H9700-SU	Single Axle – Undermount
H9700-TS	Tandem Axle – Straddle-mount
H9700-TU	Tandem Axle – Undermount

* Less springs, with 3/4" seats + clamp group

Note: Springs not included in kits

Parts List Chart B

Seat Height	3/4"	1 1/4"	1 3/4"	2 1/4"	2 3/4"	3 1/4"	3 3/4"	4 1/4"	4 3/4"
5" Round	H19360-01	H19360-02	H19360-03	H19360-04	H19360-05	H19360-06	H19360-07	H19360-08	H19360-09
5" x 5" Square	H19365-01	H19365-02	H19365-03	H19365-04	H19365-05	H19365-06	H19365-07	H19365-08	H19365-09
4" x 6" Rect.	H19364-01	H19364-02	H19364-03	H19364-04	H19364-05	H19364-06	H19364-07	H19364-08	H19364-09

SPRING SUSPENSIONS

Hutch H-9700 Parts List

Item No.	Stoughton Number	Description	Quantity	
			Single	Tandem
1	See Chart A	Front Spring Hanger	2	2
2	See Chart A	Center Equalizer Hanger	0	2
3	See Chart A	Rear Spring Hanger	2	2
4	H719-02	Torque Arm Bolt – Hex Bolt – 1 - 14UNSx5	4	8*
5	H16398-04	Radius Rod with Bushing – 19 1/4" Long	1	2*
6	H10562-00	Flange Locknut – 14UNS	4	8*
7	H7040-11	U-Bolt – 2 1/4" x 12 1/4" – Standard 3/8"	4	8*
8	H16868-01	Top Plate	2	4*
9	H7052-02	Delrin Liner	2	4*
10	Call for No.	Spring Assembly - Standard 3 Leaf	2	4
11	See Chart B	Spring Seat – 5" Round	2	4*
12	H710-00	Bottom Plate – 5" Round	2	4*
13	H35-00	Washer – P1, 5/16" ID x 1 3/4" OD	8	16*
14	H34-04	Hex Nut – 7/8"-14UNF	8	16*
15	H715-00	Non-Adj. Radius Rod with Rubber Bushing – 19 1/4" Long	1	2*
19	H7717-01	Washer Bushing	2	2
24	H37-03	Hex Locknut – 5/8"-18UNF	2	2*
25	H756-00	Sleeve Spacer – 3/4" OD x 18 Ga x 3 1/2"	2	2*
26	H759-00	Hex Bolt – 5/8"-18UNF x 4 1/2"	2	2*
27	H11154-00	Hex Locknut – 1 1/8"-7UNC, GR 5	1	1
28	H837-00	Washer – 1/8" x 1 1/4" OD x 2 1/4" ID	2	2
29	H16158-01	Fabricated Rocker Assy. with Rubber Bushing		
	17784-01	Cast Rocker Assy. with Rubber Bushing (not shown)		
30	H18723-01	Rubber Rocker Bushing	1	1
31	H16150-01	Hex Cap Screw – 1 1/8"-7 x 6 7/8", GR 5	1	1
	H722-00	Torque Arm Bushings (not shown)		

* Included in Clamp Group


Parts List Chart A

Item No.	Stoughton Number		Description	Quantity	
	Fabricated	Cast		Single	Tandem
1	H7701-01 H7701-02 H16481-01 H7701-03 H7701-04 H7701-05 H7701-06 H7701-07 H7701-08	H702-01	Front Hanger Straddle Mount Straddle Mount Under Mount Under Mount – I-Beam Side Mount – Left Side Mount – Right Flange Mount - Weld-on – Left Flange Mount - Weld-on – Right Flange Mount - Bolt-on – Left Flange Mount - Bolt-on – Right	2	2
2	H16319-01 H16319-02 H16319-04 H16319-08 H16319-07 H16169-01 H16171-01 H16175-01 H16179-01 H16178-01	H16319-51 H16319-52 H16319-52 H16319-58 H16319-57 H16196-03 H16197-03 H16197-03 H16199-05 H16199-03	Rocker & Hanger Assembly Straddle Mount Under Mount & Under Mount - I-Beam Side Mount Flange Mount – Weld-on Flange Mount – Bolt-on Rocker Hanger Only (most common) Straddle Mount Under Mount Side Mount Flange Mount – Weld-on Flange Mount – Bolt-on	0	2
3	H7703-01 H20732-01 H20732-02 H16483-01 H16483-01 H7703-03 H7703-04 H7703-05 H7703-06 H7703-07 H7703-08	H712-01 H712-05 H712-06 H16293-01 H16239-02 H712-09 H712-10 H712-11 H712-12	Rear Hanger Straddle Mount Under Mount – Left Under Mount – Right Under Mount - I-Beam – Left Under Mount - I-Beam – Right Side Mount – Left Side Mount – Right Flange Mount - Weld-on – Left Flange Mount - Weld-on – Right Flange Mount - Bolt-on – Left Flange Mount - Bolt-on – Right	2	2

Note: Some cast item numbers may become obsolete without notice.

SPRING SUSPENSIONS

Binkley Suspension



Note: For single axle Stoughton applications, call with trailer VIN (Serial Number).

Note: This is not the only Binkley suspension available. Please call with VIN (Serial Number) to correctly identify which suspension you have, or look for ID tag on box on sliding suspension, or roadside front hanger on fixed suspension.

Note: Part numbers for ALII may become obsolete without notice.

SPRING SUSPENSIONS

Binkley Suspension Parts List


Item No.	Stoughton Number	Description	Quantity	
			Single	Tandem
1	BKSP0100	Front Hanger	2	2
2	BKSP0110	Equalizer Hanger	0	2
3	BKSP0120	Rear Hanger	2	2
4	BKSP0131	Equalizer with Bushing	0	2
	BKXB-SP0054-05	Bushings	0	2
5	BKSP0123	Adj. Torque Arm with Bushings	1	2
	BKSP0083-01	End Rod – Right Hand	1	2
	BKSP0083-02	End Rod – Left Hand	1	2
	BKSP0139	Center Link	1	2
	BKXB-SP0054-02	Bushing	4	8
6	BKSP0143	Fixed Torque Arm with Bushing – 19 1/4" Long	1	2
7	BKPP0050-75	Bolt – 7/8"-14 x 4 3/4" GR.5	4	8
8	BKXB-SP0012-36	Flange Locknut – 7/8"-14	4	8
9	See Chart A	U-Bolt – 3/4" Diameter	4	8
10	BKSP0136	Top Plate	2	4
11	BKSP0049	Liner	2	4
12	See Chart A	Spring Assembly	2	4
13	See Chart A	Spring Seat Riser	2	4
14	BKSP0099	Bottom Plate	2	4
15	BKXB-SP0016-67	Hardened Washer – 13/16" ID x 1 15/32" OD	8	16
16	BKXB-SP0011-44	Hex Nut – 3/4"-16 GR.8	8	16
17	BKPP0050-73	Bolt – 1"-12 x 6 1/2" GR.5	0	2
18	BKPP0012-37	Flange Locknut – 1"-12	0	2
19	BKPP0050-71	Bolt – 5/8"-11 x 4 1/2" GR.5	4	8
20	BKXB-SP0145	Spacer	4	8
21	BKPP0012-10	Locknut – 5/8"-11	4	8

Parts List Chart A

Description	Seat Height				
	3/4"	1 1/4"	1 3/4"	2 1/4"	2 3/4"
Spring Seat Riser	BKSP0142-01	BKSP0142-02	BKSP0142-03	BKSP0142-04	BKSP0142-05
U-Bolt	BKSP0075-03	BKSP0075-04	BKSP0075-05	BKSP0075-06	BKSP0075-07
Leaf Spring	HSH354-00 (16")	HSH354-00 (16 1/2")	HSH354-00 (17")	HSH354-00 (17 1/2")	HSH354-00 (18")
Leaf Spring	HSH355-00 (14 1/2")	HSH355-00 (15")	HSH355-00 (15 1/2")	HSH355-00 (16")	HSH355-00 (16 1/2")
Leaf Spring	HSH356-00 (13 3/4")	HSH356-00 (14 1/4")	HSH356-00 (14 3/4")	HSH356-00 (15 1/4")	HSH356-00 (15 3/4")
U-Bolt	BKSP0075-01	BKSP0075-02	BKSP0075-03	BKSP0075-04	BKSP0075-05
Leaf Spring	HSH360-00 (16")	HSH360-00 (16 1/2")	HSH360-00 (17")	HSH360-00 (17 1/2")	HSH360-00 (18")
Leaf Spring	HSH363-00 (13 3/4")	HSH363-00 (14 1/4")	HSH363-00 (14 3/4")	HSH363-00 (15 1/4")	HSH363-00 (15 3/4")
Three Leaf Springs	BKSP0075-04	BKSP0075-05	BKSP0075-06	BKSP0075-07	BKSP0075-08
Heavy Duty U-Bolt	HSH365-00 (16")	HSH365-00 (16 1/2")	HSH365-00 (17")	HSH365-00 (17 1/2")	HSH365-00 (18")
Leaf Spring	HSH365-01 (13 3/4")	HSH365-01 (14 1/4")	HSH365-01 (14 3/4")	HSH365-01 (15 1/4")	HSH365-01 (15 3/4")

SLIDERS

Hutch H-8200



42" FRAME WIDTH

Stoughton Number	Description
H16014-14	9700 Hanger Group & No Rails


48" FRAME WIDTH

Stoughton Number	Description
H16014-17	9700 Hanger Group & No Rails

BODY RAIL ASSEMBLIES

Stoughton Number	Description
H18150-05	184"
H18150-07	192"
H18150-19	240"

Item No.	Stoughton Number	Description	Quantity	
			2-Pin	4-Pin
1A	H16006-01	Lock Pin, if manufactured after June, 1989	2	4
1B	H11410-00	Lock Pin, if manufactured before June, 1989	2	4
	H11414-00	Special Half Washer, if manufactured before June, 1989	2	4
2A	H12779-01	Comp. Spring – Lock Pin Pl, if manufactured after June, 1989	2	4
2B	H8098-01	Comp. Spring – Lock Pin Pl, if manufactured before June, 1989	2	4
3	H8016-00	Cotter Pin – 3/8" x 1 1/4"	4	8
4	See Chart A	Link (varies with frame width)	1	2
5	H8018-02	Spring – Hexel 12 Ga x 1PD x 10 1/8"	1	1
6	H11411-00	Handle – Pin Release	1	1
7	H8054-00	Plain Washer – 5/8"	2	2
8	H8026-00	Crank	1	1
9	H11412-04	Link – 13 5/8" long	1	2
10	H8010-14	Pipe – 1" Std x 95" long	0	1
11	H405-36	Pipe – 1 1/4" Std x 2 1/8" long	1	2
12	H8028-00	Cam	2	4
13	H8010-52	Pipe – 1" Std x 8" long	1	0
14	H9276-00	Channel Bracket – 2" x 2 3/8" x 4"	1	0
15	H405-01	Pipe – 1 1/4" Std x 3/4" long	1	0
16	H9627-00	Th'd Form Screw – 5/16"-18 x 5/8", CSHD	16	16
17	H11421-01	Slider Pad – 1/4" x 2" x 96"	2	2
18	H11625-01	Bearing Plate	4	4
19	H8040-00	Hex Bolt – 1/2"-20UNF x 1 1/4"	8	8
20	H11420-00	Hold Down Clip	4	4
21	H32-00	Lockwasher – 1/2" medium spring	8	8
22	H33-01	Hex Nut – 1/2"-20UNF	8	8



Parts List Chart A

Item No.	Description	Seat Height					48"
		38"	40"	41"	42"	47"	
4	Link	H11412-01	H11412-02	H11412-03	H11412-04	H11412-06	H11412-07


SLIDERS

Hutch H-8800 & H8900 (Obsolete – Available as service parts only)

Note: H8900 contains the same components as the H8800 without hangers.

Note: RLSA Box (Air Ride) uses the same pin-pull mechanism as shown below.

Note: Above information for reference only. Hutch no longer offers boxes without hangers.




For Pneumatic Pin Puller, see Hutch H-9800 (page 9-40)

Hutch H-8800 & H-8900 Parts List

Item No.	Stoughton Number	Description	Quantity
1	H12716-01	Lock Pin	4
2	H12779-01	Compression Spring	4
3	H12780-01	Rivet – Pan Head	4
4	See Chart A	Link (varies with frame width)	2
5	H8018-01	Spring – Helex 1PD x 8 5/8" long	1
6	H8028-00	Cam	2
7	H12785-01	Pipe Channel – U Shape	2
8	H8010-14	Pipe – 1" Std x 95" long	1
9	H8054-00	Plain Washer – 5/8"	2
10	H8026-00	Crank	1
11	H11412-16	Link – 17 5/8" long	2
12	H12781-01	Handle – Pin Release	1
13	H33-01	Hex Lock Nut – 1/2"-20UNF - 2B	8
14	H12715-01	Hold Down Clip – Old Style (shown) 4" Hole Centers (older than 10/96)	4
14A	H17919-01	Hold Down Clip – New Style 2 1/4" Hole Centers (newer than 10/96)	4
15	H8040-00	Hex Bolt – 1/2"-20UNF x 1 1/4"	8
16	H9627-00	Th'd Form Screw – 5/16"-18 x 5/8", CSHD	16
17	H11421-01	Slider Pad – 1/4" x 2" x 96"	2
18	H405-37	Crosspipe (48" frame width)	1


Parts List Chart A

Item No.	Description	Frame Width	
		42"	48"
4	Link	H11412-02	H11412-16



SLIDERS

Hutch H-9200



38" FRAME WIDTH / 9" FRAME HEIGHT

Stoughton Number	Description
H16987-01	9700 Hanger Group & No Rails

44" FRAME WIDTH / 9" FRAME HEIGHT

Stoughton Number	Description
H16987-03	9700 Hanger Group & No Rails

38" FRAME WIDTH / 10" FRAME HEIGHT

Stoughton Number	Description
H16621-01	9700 Hanger Group & No Rails

44" FRAME WIDTH / 10" FRAME HEIGHT

Stoughton Number	Description
H16621-03	9700 Hanger Group & No Rails


SLIDERS

Hutch H-9200 Parts List

Item No.	Stoughton Number	Description	Quantity
1	H12716-01	Forged Lock Pin	4
2	H12779-01	Compression Spring - Lock Pin	4
3	H12780-01	Rivet - Pan Head	8
4	See Chart A	Link (varies with frame width)	2
5	H8018-02	Spring - Helex 12 GA x 1 PD x 10 1/8" long	1
6	H8028-00	Cam - Puller Kit	2
7	H12785-01	Pipe Channel - U Shape	2
8	H8010-14	Pipe - 1" Std x 95" long	1
9	H8054-00	Plain Washer - 5/8"	2
10	H8026-00	Crank - Puller Kit	1
11	H11412-13	Link - 15 5/8" long	2
12	H12781-07	Pull Handle - 30 3/4" long	1
13	H33-01	Hex Lock Nut - 1/2"-20UNF	8
14	H12715-01	Hold Down Clip	4
15	H8040-00	Hex Bolt - 1/2"-20UNF, GR 2	8
16	H9627-00	Thread Form Screw - 5/16"-18 x 5/8", CSHD	16
17	H11421-01	Slider Pad - UHMW, 1/4" x 2" x 96"	2

Parts List Chart A

Item No.	Description	Frame Width	
		38"	44"
4	Link	H11412-01	H11412-13




SLIDERS

Hutch H-9800 (Replaces obsolete H-8800) / H-9801* / H-9811**

HUTCH 9851-48

H30116-03 - SLIDER BOX WITH HANGERS H9851 48" FW



9801 -->
H29559-01
PIN KIT SUB ASSY,
EZ PULL, 48in FW

* 8" Frame Height with EZ Pull
** 10" Frame Height with EZ Pull

Note: All original "8800" boxes
used 10" frame height

ALL 9851 -->
H20635-02
PIN KIT SUB ASSY, EZ PULL FOR 9851-48, REFER TO H29573-01 WHEN DEPLETED

42" FRAME WIDTH / 8" FRAME HEIGHT

Stoughton Number	Description
H20324-01	Box w/ 9700 Hanger Group

48" FRAME WIDTH / 8" FRAME HEIGHT

Stoughton Number	Description
H20324-03	Box w/ 9700 Hanger Group

42" FRAME WIDTH / 10" FRAME HEIGHT

Stoughton Number	Description
H22657-01	Box w/ 9700 Hanger Group

48" FRAME WIDTH / 10" FRAME HEIGHT

Stoughton Number	Description
H22657-03	Box w/ 9700 Hanger Group

REPLACED BY H29090-03, SLIDER, 9811 48in

"P3" PNEUMATIC PIN PULLER

Stoughton Number	Description
H17690-01	Retrofit "Kit" (48" frame width)
H17708-01	Air Valve Assembly (arm)
H17916-01	Air Valve Assembly (air tank or bogie)
H19515-01	Cylinder


SLIDERS

Hutch H-9800 Parts List

Item No.	Stoughton Number	Description	Quantity
1	H18426-01	Lock Pin	4
2	H12779-01	Compression Spring	4
3	H12780-01	Rivet – Pan Head	4
4	See Chart A	Link (varies with frame width)	2
5	H8018-02	Spring – 12 GA x 1PD x 10 1/8" long	1
6	H8028-00	Cam	2
7	H18064-01	Compression Spring	2
8	H8010-14	Pipe – 1" x 95" long	1
9	H11409-01	Handle Clip	1
10	H8026-00	Crank	1
11	H11412-16	Link – 18 1/4" long	2
12	H12781-01	Handle – Pin Release	
13	H33-01	Hex Lock Nut – 1/2"-20UNF - 2B	8
14	H17919-01	Hold Down Clip	4
15	H8040-00	Hex Bolt – 1/2"-20UNF x 1 1/4"	8
16	H9627-00	Thread Form Screw	16
17	H11421-01	Slider Pad	2
18	H20289-01	Crosspipe (48" frame width)	2


Parts List Chart A

Item No.	Description	Frame Width	
		42"	48"
4	Link	H11412-31	H11412-32




SLIDERS

Hutch 2001 / 2011



HutchRide 2000




Item No.	Stoughton Number	Description	Quantity
1	See Chart A	EZ-PULL Subassembly	2
2	H177-00	Washer	4
3	H8018-02	Spring – 12 GA x 1PD x 10 1/8" long	1
4	H8028-00	Cam	2
5	H18064-01	Compression Spring	2
6	H8010-14	Pipe – 1" x 95" long	1
7	H11409-01	Handle Clip	1
8	H8026-00	Crank	1
9	H18010-01 (for 2001) H18797-01 (for 2011)	Handle – Pin Release	1
10	H33-01	Hex Lock Nut – 1/2"-20UNF-2B	12
11	H17919-01	Hold Down Clip	4
12	H8040-00	Hex Bolt – 1/2"-20UNF x 1 1/4"	8
13	H9627-00	Thread Form Screw – 5/16" x 18" x 5/8", CSHD	16
14	H11421-01	Slider Pad	2
15	H11479-00	Hand Grip – Plastic	1
16	H19033-03	EZ-PULL Subassembly	2
17	H19141-01	HutchRide 2000 Air Spring Assembly	2
18	H19234-01	Hex Lock Nut – 3/4" - 10UNC	2
19	H19282-01	Hex Lock Nut – 1/2" - 13UNC	2
20	H841-00	Hex Lock Nut – 3/4" - 16UNF	6
21	H19211-01	Shackle - Spring	2
22	H19244-01	Spring Shackle Bushing	4
23	H19237-02	Bushing Sleeve – 3 1/4" LG	2
24	H11456-00	Hex Bolt – 3/4" - 16UNF x 5 1/2" LG	4
25	H817-00	Washer – 1/8" - 13/16 ID x 1 1/2 OD	8
26	See Chart B	Lower Beam Assembly	1
27	H19237-01	Bushing Sleeve – 3" LG	2
29	H718-00	Hex Bolt – 1/2" - 20UNF x 3" LG	4
30	H38-00	Washer – 1/10" - 9/16 ID x 1 OD	8
31	H19142-00	Shock Absorber	2

Parts List Chart A

Item No.	Frame Width
H19033-01	42"
H19033-03	48"


Parts List Chart B

Item No.	Frame Width
H19243-01	42"
H19243-03	48"




SLIDERS

Binkley Lite-Slide™ SL7000



Item No.	Stoughton Number	Description	Quantity
1	BKPP0052-30	Roll Pin	4
2	BKSL0732	Lock Pin – 1 5/8" diameter	4
3	BKXB-SPG-020-19	Compression Spring	4
4	BKPP0001-33	Hex Head Cap Screw	8
5	BKXB-SLN-012-42	Hex Head Self-locking Nut	8
6	BKSL0579	W/A, Holddown	4
	BKSL0579-01	"A" = 2 9/16"	
	BKSL0579-02	"A" = 2 3/4"	
7	BKSL0523-02	Spacer	2
8	BKSL0451	Cam	1
9	BKSL0016-68	Washer – Flat Special	8
10	BKSL0646-04	Linkage Arm, 38" Spring Center	4
	BKSL0646-05	Linkage Arm, 44" Spring Center	4
11	BKSL0704-38	W/A, Sub-frame, 38" Spring Center	1
	BKSL0704-44	W/A, Sub-frame, 44" Spring Center	1
12	BKPP0008-16	Screw	12
13	BKSL0691	Slide Pad Retainer	12
14	BKSL0563-01	Slide Block	6
15	BKSL0744-01	Pull Arm, 38" Spring Center	1
	BKSL0744-01	Pull Arm, 44" Spring Center	1
16	BKXB-CTP-014-59	Cotter Pin	1
17	BKPP0016-08	Washer – Flat	1
18	BKSL0370-01	W/A, Torsion Camshaft (Torsion Spring included but not shown)	1




Note: For JB Hunt Chassis use Slider **SLC582-48** & Slider Pads **BKSL0515**

Item No.	Stoughton Number	Description	Quantity
1	BKSL0704-42	W/A, Sub-frame – 42" Frame Width	1
	BKSL0704-48	W/A, Sub-frame – 48" Frame Width	1
2	BKSL0744-03	Pull Arm – 42" Frame Width	1
	BKSL0744-07	Pull Arm – 48" Frame Width	1
3	BKSL0646-42	Linkage Arm – 42" Frame Width	4
	BKSL0646-48	Linkage Arm – 48" Frame Width	4
4	BKSL0370-01	W/A, Torsion Camshaft (Torsion Spring included but not shown)	1
	BKSL0019	Spring Arm Replacement Kit	1
5	BKSL0523-07	Spacer	2
6	BKSL0451	Cam	1
7	BKXB-SPG-020-18	Compression Spring	4
8	BKSL0450	Lock Pin – 1 3/8" diameter	4
9	BKPP0052-28	Roll Pin	4
10	BKSL0016-68	Washer – Flat Special	8
11	BKXB-ST5-008-16	Screw	16
12	BKSL0515	Slide Block	2
13	BKSL0893	Holddown Bracket	4
14	BKPP001-33	Hex Head Cap Screw	8
15	BKXB-SLN-012-42	Hex Head Self-locking Nut	8
16	BKXB-CTP-014-59	Cotter Pin	1
17	BKPP0016-08	Washer – Flat	1

SLIDERS

Neway CB400



Note: For units with pneumatic pin pull mechanisms,
see SAF Holland's website:
ww1.SAFholland.us.

SLIDERS

Neway CB400 Parts List

Item No.	Stoughton Number				Description	96" Slider Box Rail Style	Qty.
	CB400-15.5	CB400-16.0	CB400-16.5	CB400-17.0			
1	42" - BKCL211Q1A11-48" - BKCL111Q1A11-	42" - BKCL221Q1A11-48" - BKCL121Q1A11-	42" - BKCL231Q1A11-48" - BKCL131Q1A11-	42" - BKCL241Q1A11-48" - BKCL141Q1A11-	Slider Assy. w/ Qwik Release w/ 2 SwingAlign & 2 Fixed Frame Brackets* (Includes items 1A-1S)	CL**	1
	42" - BKCH211Q1A11-48" - BKCH111Q1A11-	42" - BKCH221Q1A11-48" - BKCH121Q1A11-	42" - BKCH231Q1A11-48" - BKCH131Q1A11-	42" - BKCH241Q1A11-48" - BKCH141Q1A11-		CH**	
	42" - BKCT211Q1A11-48" - BKCT111Q1A11-	42" - BKCT221Q1A11-48" - BKCT121Q1A11-	42" - BKCT231Q1A11-48" - BKCT131Q1A11-	42" - BKCT241Q1A11-48" - BKCT141Q1A11-		CT**	
	42" - BKCU211Q1A11-48" - BKCU111Q1A11-	42" - BKCU221Q1A11-48" - BKCU121Q1A11-	42" - BKCU231Q1A11-48" - BKCU131Q1A11-	42" - BKCU241Q1A11-48" - BKCU141Q1A11-		CU**	
1A	N/A	N/A	N/A	N/A	Frame Bracket (welded)	Roadside	-
See Frame Bracket Replacement Kits pages 9-8 and 9-9							
1AA	See Frame Bracket Replacement Kits pages 9-8 and 9-9				Frame Bracket (SwingAlign)	Curbside	-
1B	42" - BKSL-0893 48" - BKSL-0893	42" - BKSL-0893 48" - BKSL-0893	42" - BKSL-0893 48" - BKSL-0893	42" - BKSL-0893 48" - BKSL-0893	Hold Down Bracket		4
1C	42" - BKSLOA1277-01 48" - BKSLOA1277-01	42" - BKSLOA1277-01 48" - BKSLOA1277-01	42" - BKSLOA1277-01 48" - BKSLOA1277-01	42" - BKSLOA1277-01 48" - BKSLOA1277-01	Torsion Cam		1
1D	42" - BKSLOA1273 48" - BKSLOA1273	42" - BKSLOA1273 48" - BKSLOA1273	42" - BKSLOA1273 48" - BKSLOA1273	42" - BKSLOA1273 48" - BKSLOA1273	Pull Handle Clip		1
1E	42" - BKXB-CTP-014-59 48" - BKXB-CTP-014-59	42" - BKXB-CTP-014-59 48" - BKXB-CTP-014-59	42" - BKXB-CTP-014-59 48" - BKXB-CTP-014-59	42" - BKXB-CTP-014-59 48" - BKXB-CTP-014-59	Cotter Pin - $\frac{3}{16}$ " x 1 $\frac{1}{2}$ "		1
1F	42" - BKSLOA1274 48" - BKSLOA1274	42" - BKSLOA1274 48" - BKSLOA1274	42" - BKSLOA1274 48" - BKSLOA1274	42" - BKSLOA1274 48" - BKSLOA1274	Cam Plate		2
1G	42" - BKSLOA1261 48" - BKSLOA1261	42" - BKSLOA1261 48" - BKSLOA1261	42" - BKSLOA1261 48" - BKSLOA1261	42" - BKSLOA1261 48" - BKSLOA1261	Lock Pin Hutch Style - 1 $\frac{5}{8}$ " Dia.		4
	42" - BKSLOA1238 48" - BKSLOA1238	42" - BKSLOA1238 48" - BKSLOA1238	42" - BKSLOA1238 48" - BKSLOA1238	42" - BKSLOA1238 48" - BKSLOA1238	Lock Pin - 1 $\frac{3}{8}$ " Dia. - All Others		4
1H	42" - BKXB-SPG-020-35 48" - BKXB-SPG-020-35	42" - BKXB-SPG-020-35 48" - BKXB-SPG-020-35	42" - BKXB-SPG-020-35 48" - BKXB-SPG-020-35	42" - BKXB-SPG-020-35 48" - BKXB-SPG-020-35	Compression Spring		4
1J	42" - FW BKSL0A1445-02 48" - FW BKSL0A1445-01	42" - FW BKSL0A1445-02 48" - FW BKSL0A1445-01	42" - FW BKSL0A1445-02 48" - FW BKSL0A1445-01	42" - FW BKSL0A1445-02 48" - FW BKSL0A1445-01	Angled Pull Handle		1
1K	42" - BKSLOA1239-01 48" - BKSLOA1239-02	42" - BKSLOA1239-01 48" - BKSLOA1239-02	42" - BKSLOA1239-01 48" - BKSLOA1239-02	42" - BKSLOA1239-01 48" - BKSLOA1239-02	Pin Pull Rod		4
1L	42" - BKXB-PW-016-85 48" - BKXB-PW-016-85	42" - BKXB-PW-016-85 48" - BKXB-PW-016-85	42" - BKXB-PW-016-85 48" - BKXB-PW-016-85	42" - BKXB-PW-016-85 48" - BKXB-PW-016-85	Washer - $\frac{1}{2}$ " (Pin Pull Rod)		8
1M	42" - BKXB-SLOA1054 48" - BKXB-SLOA1054	42" - BKXB-SLOA1054 48" - BKXB-SLOA1054	42" - BKXB-SLOA1054 48" - BKXB-SLOA1054	42" - BKXB-SLOA1054 48" - BKXB-SLOA1054	Slider Pad - 96" (long)		2
1N	42" - BKSLO523-07 48" - BKSLO523-07	42" - BKSLO523-07 48" - BKSLO523-07	42" - BKSLO523-07 48" - BKSLO523-07	42" - BKSLO523-07 48" - BKSLO523-07	Spacer (Cam Shaft Stop)		1
1P	42" - BKXB-STS-008-16 48" - BKXB-STS-008-16	42" - BKXB-STS-008-16 48" - BKXB-STS-008-16	42" - BKXB-STS-008-16 48" - BKXB-STS-008-16	42" - BKXB-STS-008-16 48" - BKXB-STS-008-16	Self Tap Screw - $\frac{5}{16}$ "-18 x $\frac{3}{4}$ "		16
1R	42" - BKXB-HHC-001-33 48" - BKXB-HHC-001-33	42" - BKXB-HHC-001-33 48" - BKXB-HHC-001-33	42" - BKXB-HHC-001-33 48" - BKXB-HHC-001-33	42" - BKXB-HHC-001-33 48" - BKXB-HHC-001-33	Hold Down Bracket Bolt - $\frac{1}{2}$ "-13 x 1 $\frac{1}{4}$ "		8
1S	42" - BKXB-SLN-012-42 48" - BKXB-SLN-012-42	42" - BKXB-SLN-012-42 48" - BKXB-SLN-012-42	42" - BKXB-SLN-012-42 48" - BKXB-SLN-012-42	42" - BKXB-SLN-012-42 48" - BKXB-SLN-012-42	Hold Down Bracket Lock Nut - $\frac{1}{2}$ "-13		8

* SwingAlign non-welded style "adjustable" frame bracket on roadside; welded style "fixed" frame bracket on curbside.

*** CL = Holland slider box rail style; CH = Hutch slider box rail style; CT = TTMA slider box rail style; CU = Utility slider box rail style.

[illegible]