

# STOUGHTON<sup>®</sup>

**PARTS SALES**

*Your Make. Your Model. Your Part.<sup>SM</sup>*

# PRO-SELECT<sup>™</sup>

**Industrial Quality Parts Priced to Deliver Incredible Value  
Exclusive to Stoughton Parts Sales, LLC.**



# PRO-SELECT<sup>™</sup>

- Wide Product Offering
- In-Stock
- Priced Right
- OEM Quality



## Axles & Components--Brake Chambers

### PRO-BC3030V

50/Pallet

#### Power Spring

Black passivated and passes 48 hour salt spray test  
CNC coiled and meets both force and life cycle requirements as published by the Society of Automotive Engineers 1 million cycle test

#### Non-Pressure Housing

11 Gauge with reinforced mounting bolts to prevent damage  
Black E-Coating and passes 200 hour salt spray test

#### Clamp Bands

Matched stamping for maximum seal and life  
High strength steel material consistent long-life pressure  
Zinc coated and corrosion prevention passes 72 hour salt spray test

#### Push Rod

Thick steel plate exceeds all OEM standards  
Rolled edge creates smooth working surface  
Orange stroke alert indicator OEM  
CNC Welding for push rod/plate attachment (very strong)

#### Aluminum Adapter

Die cast 360 spec aluminum  
Double O-Ring seal  
Ground/plated push rod for smoothest friction surface

#### Diaphragm

Natural/synthetic rubber blend  
Meets SAE 1 million cycle test

#### Return Springs


.177 Spring wire SAE tested to 1 million cycles

#### Fasteners

All fasteners are tensile strength and adhere to SAE standards




Standard stroke 30/30

The thread length on the connecting rod is 12 5/8  
2 Year Warranty





Date Code


**Axles & Components--Brake Shoes & Hardware**


ITEM #	ITEM DESCRIPTION
PRO-KIT8000HD	<p><b>BRAKE HARDWARE KIT</b></p> <p><b>Application:</b> Drive Axle, Trailer Axle</p> <p><b>Brake Diameter:</b> 16.50 in.</p> <p><b>Brake Type:</b> Q &amp; Q-Plus For Q Series; 5" 4524B ; 6" 4514G; 7" 4515E; 8.63" 4551G; 10" 4514G/4549C; For Q+ Series; 7" 4707; 8" 4718; 8.63" 4711</p> 
PRO-R507004	<p><b>AIR BRAKE HARDWARE KIT, EATON</b></p> <p><b>Application:</b> Front Steer Axle</p> <p><b>Brake Diameter:</b> 15.00 in.</p> <p><b>Brake Type:</b> Eaton</p> <p><b>Brake Width:</b> 4.00 in.</p> <p><b>Notes:</b> Single Anchor Pin Front Brake. Services 1 Brake</p> 
PRO-R507008	<p><b>AIR BRAKE HARDWARE KIT, FRUEHAUF</b></p> <p><b>Application:</b> Trailer Axle</p> <p><b>Brake Diameter:</b> 16.50 in.</p> <p><b>Brake Type:</b> Pro-Par</p> <p><b>Brake Width:</b> 7.00 in.</p> <p><b>Notes:</b> Services 1 Brake</p> 
PRO-R507064	<p><b>AIR BRAKE HARDWARE KIT, EATON</b></p> <p><b>Application:</b> Drive Axle</p> <p><b>Brake Diameter:</b> 16.50 in.</p> <p><b>Brake Type:</b> ES-II</p> <p><b>Brake Width:</b> 7.00 in. &amp; 8.625 in.</p> <p><b>Notes:</b> For use with new ES-II, No-Tab shoe with retainer spring Holes in web. Can only be used with Eaton ES camshafts. Services one Brake.</p> 

### Axles & Components--Brake Shoes & Hardware

PRO-EK1HD	EATON 16-1/2IN. SINGLE ANCHOR PIN BRAKE	
PRO-ES1	EATON 16-1/2IN. ES EXTENDED SERVICE	
PRO-ES2	EATON ESII 16-1/2IN. BRAKE HARDWARE KIT	
PRO-QK1HD	16-1/2IN. Q, Q PLUS AND SPICER	
PRO-QK2SHD	16-1/2IN. Q, Q PLUS, SPICER FAST CHANGE	
PRO-XK3HD	LATE XEM BRAKE	

### Axles & Components--Camshafts Repair Kits


PRO-08-5001	CAMSHAFT REPAIR KIT, LATE TRAILER AXLES, AXLES WITH FABRICATED SPIDERS, 16 1/2IN	
PRO-B8772MHD	CAMSHAFT REPAIR KITS	<ul style="list-style-type: none"> <li>4 - B960 Washer</li> <li>2 - B961 Washer</li> <li>4 - B988 Washer</li> <li>2 - B8610 Washer</li> <li>2 - B8622 Lock</li> <li>4 - B8625 Seal</li> <li>2 - B8634A Lock</li> <li>2 - B8689 Lock</li> <li>2 - B8696HD Bracket</li> <li>2 - B8782 Bronze Bushing</li> <li>2 - B8786 Washer</li> <li>2 - B8787 Washer</li> </ul>
PRO-B8773MHD	CAMSHAFT REPAIR KIT, 16.5IN Q/QPLUS HD BRACKET	<ul style="list-style-type: none"> <li>2 - B793 Lock</li> <li>2 - B988 Washer</li> <li>2 - B8610 Washer</li> <li>4 - B8625 Seal</li> <li>2 - B8634A Lock</li> <li>2 - B8689 Lock</li> <li>2 - B8696HD Bracket</li> <li>2 - B8783 Bracket</li> <li>2 - B8784 Washer</li> <li>2 - B8785 Washer</li> </ul>



## Axles & Components--Camshafts

PRO-C059L	CAMSHAFT, LH, 23-3/4", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" JOURNAL - EATON 16-1/2" ES
PRO-C060R	RH CAMSHAFT, RH, 23-3/4", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" JOURNAL - EATON 16-1/2" ES
PRO-C098L	CAMSHAFT, LH, 22-15/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C099R	CAMSHAFT, RH, 22-15/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C443BL	CAMSHAFT, LH, 20-13/32", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C444BR	CAMSHAFT, RH, 20-13/32", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C445BL	CAMSHAFT, LH, 24-1/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C446BR	CAMSHAFT, RH, 24-1/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-5/8" D JOURNAL - MERITOR 16-1/2" Q-PLUS
PRO-C526L	CAMSHAFT, LH, 23-9/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C527R	CAMSHAFT, RH, 23-9/16", 1-1/8" HEAD, 1-1/2"-28 SPLINE, 1-1/2" D JOURNAL - SPICER 16-1/2" XL
PRO-C563L	CAMSHAFT, LH, 16-1/8", 1-3/8" HEAD, 1-5/8"-37 SPLINE, 1-5/8" JOURNAL - FRUEHAUF 16-1/2
PRO-C564R	CAMSHAFT, RH, 16-1/8", 1-3/8" HEAD, 1-5/8"-37 SPLINE, 1-5/8" JOURNAL - FRUEHAUF 16-1/2

## Axles & Components--Hubcaps

PRO-343-4009	HUBCAP W/GASKET - ALUMINUM WITH GASKET BOLT CIRCLE: 5 1/2" BOLT SIZE: 5/16" INSIDE DEPTH: 1 15/16" O.D.: 6 1/4" I.D.: 4 3/8"	
--------------	---	--

## Axles & Components-- Slack Adjusters



PRO-40010140	AUTO SLACK ADJUSTER, 28SP, 5IN & 6IN DRILLING
PRO-40010141	AUTO SLACK ADJUSTER, 28SP, 5.5IN & 6.5IN. DRILLING
PRO-40010142	AUTO SLACK ADJUSTER, 10SP, 5-6IN
PRO-40010143	AUTO SLACK ADJUSTER, 10SP, 5.5IN
PRO-40010144	AUTO SLACK ADJUSTER, 1.5-28SP, 6IN
PRO-40010211	AUTO SLACK ADJUSTER, 28SP, 5.5IN
PRO-40010212	AUTO SLACK ADJUSTER, 28SP, 6IN
PRO-40010214	AUTO SLACK ADJUSTER, 37SP, 6IN
PRO-40010216	AUTO SLACK ADJUSTER, 10SP, 5.5IN
PRO-40010305	AUTO SLACK ADJUSTER, 28SP, 6IN
PRO-801003	AUTO SLACK ADJUSTER, 24SP, 5.5IN
PRO-801041	AUTO SLACK ADJUSTER, 1.5-10, 5.5IN
PRO-801042	AUTO SLACK ADJUSTER, 1.5-10, 6IN
PRO-801073	AUTO SLACK ADJUSTER, MERITOR STYLE, 28SP, 5.5IN
PRO-801074	AUTO SLACK ADJUSTER, MERITOR STYLE, 28SP, 6IN

## AXLES, AIR SYSTEMS & COMPONENTS--TANKS, GLADHANDS, HOSES

PRO-P01021	GLADHAND, UNIVERSAL, STANDARD MOUNT	
PRO-P80021	GLADHAND, EMERGENCY, STANDARD MOUNT	
PRO-P60021	GLADHAND, SERVICE, STANDARD MOUNT	
PRO-P01311R	COILED AIR HOSE, 12FT, RED	<ul style="list-style-type: none"> <li>• Includes thread seal for secure connection to gladhand</li> <li>• Single piece trailer side and three-piece swivel tractor side fittings</li> <li>• Plated steel spring for added tubing protection</li> <li>• Remains flexible at -40°F (-40°C)</li> </ul>
PRO-P11311B	COILED AIR HOSE, 12FT, BLUE	
PRO-P21311S	COILED AIR SET, 12FT	
PRO-P83311R	COILED AIR HOSE, 15FT W/40IN. LEAD, RED	
PRO-P93311B	COILED AIR HOSE, 15FT W/40IN. LEAD, BLUE	
PRO-P04311S	COILED AIR SET, 15FT W/40IN. LEAD	
PRO-P71311R	COILED AIR HOSE, 15FT, RED	
PRO-P81311B	COILED AIR HOSE, 15FT, BLUE	
PRO-P51311S	COILED AIR SET, 15FT	
PRO-P02311S	COILED AIR SET, 20FT	

## Axles, Air Systems & Components-Valves & Cable

PRO-065145	BPR1 VALVE 4.0 PSI	
PRO-065303	R12 MULTI FUNCTION VALVE	
PRO-065439	SPRING BRAKE VALVE, SR-5	
PRO-101112	CONTROL VALVE, SPRINGBRAKE, SR-4	
PRO-101622	CONTROL VALVE, SPRINGBRAKE, SR-4	
PRO-102626	RELAY VALVE W/BACKET, R12	
PRO-103009	RELAY VALVE, HORIZ, R-12H	
PRO-103010	RELAY VALVE, HORIZONTAL, R14H	
PRO-110170	SPRING BRAKE VALVE	
PRO-110171	SPRING BRAKE VALVE	
PRO-110197	RELAY VALVE	
PRO-227788	CHECK VALVE	
PRO-227870	CHECK VALVE	
PRO-229859	QUICK RELEASE VALVE, QR-1	
PRO-229860	QUICK RELEASE VALVE, QR-1	
PRO-275491	GOVERNOR, D2	
PRO-276566	PUSH/PULL VALVE, TYPE PP-1	
PRO-278614	DOUBLE CHECK VALVE, DC-4	
PRO-279000	TRACTOR PROTECTION VALVE, TP-3	
PRO-28520	RELAY VALVE, RG2, 2-PORT	
PRO-286171	E6 FOOT VALVE	
PRO-286370	RELAY VALVE, R-8	
PRO-287114	R8P VALVE	
PRO-288241	PP7 VALVE 5/16"	
PRO-288746	PP3 DASH VALVE	
PRO-289714	QUICK RELEASE VALVE, QR-1C	
PRO-5001230	MV3 DASH CONTROL	
PRO-90054007	HEIGHT CONTROL VALVE	

## Suspensions--Air Springs

PRO-01-7555C	AIR SPRING 2B12-440	
PRO-01-8050C	AIR SPRING 1R14-039, HENDRICKSON TRAILER AIR SPRING	
PRO-01-8091C	AIR SPRING 1R14-171, HENDRICKSON TRAILER AIR SPRING	
PRO-01-8204C	AIR SPRING 1R12-508	
PRO-01-8708C	AIR SPRING 1R13-177	
PRO-01-8709C	AIR SPRING 1R13-159, HENDRICKSON TRAILER AIR SPRING	
PRO-01-8729C	AIR SPRING 1R13-130	
PRO-01-8755C	AIR SPRING 1R13-124	
PRO-01-9069C	AIR SPRING 1R12-069, PETERBILT AIR SPRING	
PRO-01-9122C	AIR SPRING 1R13-038	
PRO-01-9265C	AIR SPRING 1R12-375	
PRO-01-9270C	AIR SPRING 1R13-119, HENDRICKSON AIR SPRING	
PRO-01-9293C	AIR SPRING 1R10-120	
PRO-01-9366C	AIR SPRING 1R12-487	
PRO-01-9394C	AIR SPRING 1R12-281	
PRO-01-9780C	AIR SPRING 1R12-303, FREIGHTLINER AIR SPRING	
PRO-01-9807C	AIR SPRING AS9807	
PRO-01-9875C	AIR SPRING 1R12-432	
PRO-01-9921C	AIR SPRING 1R12-502	
PRO-01-9935C	AIR SPRING 1R12-532	

## Suspensions—Shock Absorbers

PRO-83009	SHOCK ABSORBER	
PRO-83128	SHOCK ABSORBER	
PRO-83312	SHOCK ABSORBER	
PRO-83456	SHOCK ABSORBER	
PRO-85000	SHOCK ABSORBER	
PRO-85001	SHOCK ABSORBER	
PRO-85003	SHOCK ABSORBER	
PRO-85043	SHOCK ABSORBER	
PRO-85052	SHOCK ABSORBER	
PRO-89408	SHOCK ABSORBER	
PRO-89410	SHOCK ABSORBER	

## Electrical--Harnesses & Cables


PRO-P110203	ABS CABLE ASSEMBLY, STRAIGHT, 8FT	
PRO-P130203	ABS CABLE ASSEMBLY, STRAIGHT, 10FT	
PRO-P150203	ABS CABLE ASSEMBLY, STRAIGHT, 12FT	
PRO-P170203	ABS CABLE ASSEMBLY, STRAIGHT, 15FT	
PRO-P123403	ABS CABLE ASSEMBLY, PERMACOIL, 12FT	
PRO-P123442	ABS CABLE ASSEMBLY, PERMACOIL, 12FT	
PRO-P126403	ABS CABLE ASSEMBLY, PERMACOIL, 15FT	
PRO-P129403	ABS CABLE ASSEMBLY, PERMACOIL, 15FT	
PRO-P129442	ABS CABLE ASSEMBLY, PERMACOIL, 15FT	
PRO-P126442	NON-ABS CABLE ASSEMBLY, PERMACOIL, 15FT	

## Electrical—Plugs & Connectors

PRO-P02351	<p>METALLIC SOCKET, SINGLE POLE</p> <ul style="list-style-type: none"> <li>• Zinc die-cast housing for durability</li> <li>• Solid brass pins</li> <li>• Elongated holes for mounting adaptability</li> <li>• Stainless steel hinge pin and spring for long-life</li> <li>• Mates with 15-335 single pole plug</li> <li>• For use with 4 ga., 5/16 in. copper lug</li> </ul>	
PRO-P02751	<p>SPLIT PIN SOCKET, 7-PIN</p> <ul style="list-style-type: none"> <li>• Heavy duty, reinforced zinc die-cast housing</li> <li>• Thread sealed screws prevent wire pull-out</li> <li>• Elongated holes for mounting adaptability</li> <li>• Stainless steel hinge pin and spring</li> <li>• Full-opening lid</li> </ul>	
PRO-P03751	<p>PLUG W/CABLE GUARD, 7-PIN</p> <ul style="list-style-type: none"> <li>• Thread sealed screws prevent wire pull-out</li> <li>• Spring-wrapped, machine crimped brass compression pins</li> <li>• Heavy-duty, reinforced zinc die-cast housing</li> <li>• Strong cable guard to support heavy cables</li> </ul>	
PRO-P53351	<p>PLUG, 1-POLE W/CABLE GUARD</p> <ul style="list-style-type: none"> <li>• Universal single pole plug</li> <li>• Industry-standard plug</li> <li>• Lug for 4 ga. cable included</li> </ul>	



## Door Panel/Blank

<p>PRO-DB07549110PW-AL</p>	<p>DOOR PANEL .75x49x110.5in Order Multiple -25</p> <p>White Aluminum / Raw Aluminum Aluminum is .3mm thick</p>	
----------------------------	---	---

## Door Roll-Up Door Parts

<p>PRO-1406-8529-Z</p>	<p>CENTER HINGE, WH15, TG-15</p>	
<p>PRO-1406-8715-Z</p>	<p>CENTER HINGE, TG-61196</p>	
<p>PRO-1406-8716-Z</p>	<p>END HINGE, TG-69035</p>	
<p>PRO-1406-8742</p>	<p>REAR LOCK, TG-69571</p>	
<p>PRO-1406-8743</p>	<p>REAR LOCK KEEPER, TG-69572</p>	
<p>PRO-1406-8639-1-B</p>	<p>TOP FIXTURE BASE ONLY, TG-69432</p>	
<p>PRO-1406-8639-2-Z</p>	<p>SLIDE ONLY, TG-69431</p>	
<p>PRO-1406-8639-Z-KIT</p>	<p>TOP FIXTURE ASSEMBLY, TG-69433</p>	
<p>PRO-1406-8726-Z</p>	<p>BOTTOM FIXTURE ZINC PLATED, TG-61352</p>	
<p>PRO-1406-8727-Z</p>	<p>LIFT HANDLE, TG-61401</p>	
<p>PRO-1406-8730</p>	<p>ANCHOR BRACKET FOR DOOR CABLE, TG-61204</p>	
<p>PRO-1406-8744-2</p>	<p>Chain Assembly for 1406-8744-1 Keeper, HDG, TG-61229</p>	
<p>PRO-1406-8812</p>	<p>BEARING ASSEMBLY FOR 1IN. SHAFT, TG-51038</p>	
<p>PRO-1406-8814-CS</p>	<p>CABLE DRUMS, TG-59157-3</p>	
<p>PRO-1406-8814-RS</p>	<p>CABLE DRUMS, TG-59157-4</p>	
<p>PRO-1406-8817</p>	<p>BOTTOM 98IN SEAL, TG-80840</p>	
<p>PRO-1406-8819-KIT</p>	<p>HEAD 98IN SEAL, TG-70001</p>	

## Landing Gear & Accessories



**Item # PRO-CL22TAS (High-Profile)**

**Item # PRO-CL22TAS-LP (Low-Profile)**

- Universal Mount
- 12 kits/pallet
- 3-year warranty
- Static Load Capacity - 132,277 lb.
- Lifting Capacity - 48,501.7 lb.
- Side Load Capacity - 24,250.8 lb.
- Travel Max - 16.92913 in.
- Crank Force - 35.274 lb.
- 68 in. middle shaft


**PRO-CL22TAF.S**  
LANDING GEAR LEG SET  
CUSHION, MIN BUY 12

**PRO-CL28TAFY.S**  
LANDING GEAR SET, 17IN  
TRAVEL MIN BUY 10



PRO-1001-1295	LOW PRO SHOE, 10X10IN, 1.75IN, NO GUSSET	
PRO-1001-2432	LOW PRO SHOE, 10X10IN, 2.5IN, NO GUSSET	
PRO-1001-1291	SAND SHOE, STANDARD, 10 x10	
PRO-1001-1537	SAND SHOE, LOW PROFILE 10X10, W/PATCH, HD	
PRO-1002-1303-KIT-F	SAND SHOE AXLE, 8.5IN, SCHEDULE 80	
PRO-1002-2775-KIT	SAND SHOE AXLE, 8-3/8IN SOLID AXLE	
PRO-1003-1664	CRANK, VERTICAL, 7.5IN	
PRO-1003-1365	CRANK, VERTICAL, 11IN	
PRO-1003-1366	CRANK, VERTICAL, 15IN	
PRO-1003-1367	CRANK, VERTICAL, 21IN	
PRO-1003-1695	CRANK, HORIZONTAL, 7.5IN	
PRO-1003-6497	CRANK, HORIZONTAL, 12IN	
PRO-1003-1297	CRANK, HORIZONTAL, 15IN	
PRO-1006-1309	ADJUSTABLE BRACE, ID 1.50/OD 1.75 26-41IN 2PC	
PRO-1006-1310	ADJUSTABLE BRACE, ID 1.50/OD 1.75 42-57IN 2PC	
PRO-1006-1311	ADJUSTABLE BRACE, ID 1.50/OD 1.75 58-72IN 2PC	
PRO-1006-2016	K-BRACE, 69-5/8IN, PENZ 02-501-102	
PRO-1006-7599	K-BRACE, 71IN, UNIVERSAL W/O BRACKET	
PRO-1009-2399	LEG COVER, ROUND, K/W/AUSTIN LPR, 5-1/8X.5IN	
PRO-1009-6467	LEG COVER, 1-SPEED, JOST A400/401, FLAT, 5.5IN	
PRO-1009-6527	GEARBOX COVER, OUTER, HOLLAND 51000 LEG	


## Paints & Chemicals

HIGH-SOLIDS					
Product does not run or sag & gives twice the coverage of conventional spray paints. Can be applied to bare metal & resists oil, gas, heat, & sunlight.					
Item	Seymour #	Item Description	SIZE	CASE QTY	
SPS-620-1416	620-1416	PAINT, GRAY ANSI 61	20	12	
SPS-620-1417	620-1417	PAINT, DARK GRAY	20	12	
SPS-620-1418	620-1418	PAINT, LIGHT GRAY	20	12	
04-00014-000-00	620-1411	PAINT, ALUMINUM	20	12	
04-00015-000-00	620-1423	PAINT, RED	20	12	
04-00019-000-00	620-1415	PAINT, BLACK GLOSS	20	12	
04-00020-000-00	620-1413	PAINT, WHITE GLOSS	20	12	
04-00016-000-00	620-1407	PRIMER, RED OXIDE	20	12	
04-00018-000-00	620-1431	PRIMER, LT. GRAY	20	12	
SPS-PAINT RACK SPS-PAINT RACK-HEADER	Holds 64 cans of spray paint 13 In. W x 14 In. D x 48 In. H				
LOW-SOLIDS					
Formulated for general purpose applications where maximum indoor/outdoor coating performance is required & provides a tough finish that inhibits rust & resists heat & gasoline.					
Item	Seymour #	Item Description	SIZE	CASE QTY	
04-00011-000-00	98-3	PAINT, BLACK GLOSS	20	12	
04-00012-000-00	98-15	PRIMER, LT. GRAY	20	12	
04-00013-000-00	N/A	PAINT, WHITE GLOSS	20	12	
COATINGS & LUBRICANTS					
Item	Seymour #	Item Description	SIZE	CASE QTY	
SPS-16-1445	16-1445	COLD GALV, 93PCT ZINC	16	12	Contains 93% Type I inorganic zinc in the dried paint film. Resists oxidation, & the galvanizing protection continues even if scratched.
SPS-16-45	16-45	RUST CONVERTER	16	12	Can be applied to any iron or steel surface to penetrate rust & turn it into a protective black coating. Resistant to moisture & prevents future rust growth.

## Paints & Chemicals

COATINGS & LUBRICANTS					
Item	Seymour #	Item Description	SIZE	CASE QTY	
SPS-16-841	16-841	SHINY GALVANIZE	16	12	Smooth, zinc enhanced compound dries to a durable, crack resistant coating protects iron & steel surfaces. Excellent restoration of galvanized surfaces.
SPS-20-46	20-46	RUBBERIZED UNDERCOATING	20	12	Autobody undercoating for application to under carriage for rust protection & sound deadening. Seals out water, fumes, road chemicals & dust. Not effected by heat or cold. VOC Compliant.
SPS-20-47	20-47	GRAFFITI REMOVER	20	12	Highly effective, environmentally safe formula. Safely removes paint & varnish.
SPS-620-1505	620-1505	LUBRICANT, DRY MOLY, MIN BUY 6	20	12	Quick-drying, thin film that provides superior lubrication under extreme pressures & broad temp. ranges. Excellent adhesion, oil free, & protects against seizing, fretting, & galling.
SPS-620-1543	620-1543	PENETRATING OIL, MIN BUY 6	20	12	A lightweight penetrant that releases rusted, corroded or frozen assemblies. This fast-acting formulation includes penetrants, lubricants, & corrosion inhibitors & leaves an anti-rust film for continued protection. Sprays in any direction & an extension tube is provided.
SPS-620-1548	620-1548	BRAKE CLEANER	20	12	Safely removes dust & grease from brake parts & other metal objects. Eliminates brake squealing, contains no chlorinated solvents, & is VOC compliant. Includes Extension Tube
SPS-SEAL IT	20-149	CLEAR SEAL IT	20	12	Multi-purpose sealant that seals small cracks & does not lose flexibility. Resists water, protects against UV sunlight, & will not crack in cold temperatures.

- Popular Part Numbers for the Trailer Industry
- DOT Tested & Approved
- Quick Order Turnaround & Flexibility
- Available in Standard Packaging with Easily Identifiable Part Numbers & Descriptions
- Part Bags Feature Not Only Our Part Numbers, but Also Other Manufacturers for Ease of Identification



P/N	DESCRIPTION	PKG
TA50009	3/8" Tube Frame Fitting	1
TA55609	Bulkhead Fitting	5
TA55613	Bulkhead Fitting	5
TA55629	Bulkhead Fitting	5
TA55661	Bulkhead Fitting	5
TA55807	Bulkhead Fitting	5
TAS120-4-2	1/4"x1/8" Pipe Adapter	10
TAS120-6-4	3/8"x1/4" Pipe Adapter	10
TAS202-4	1/4" 90° Street Elbow, Extruded	10
TAS202-6	3/8" 90° Street Elbow, Extruded	10
TAS203-4	1/4" Pipe Tee, Extruded	10
TAS203-6	3/8" Pipe Tee, Extruded	10

P/N	DESCRIPTION	PKG
TAS207-4	1/4" Female Pipe Coupling	10
TAS207-6	3/8" Female Pipe Coupling	10
TAS211-4	1/4" Square Head Plug	10
TAS211-6	3/8" Square Head Plug	10
TAS215-4	1/4" Close Nipple, Yellow Brass	10
TAS215-6	3/8" Close Nipple, Yellow Brass	10
TAS215-8	1/2" Close Nipple, Yellow Brass	10
TAS224-6	3/8" 45° Street Elbow	10
TAS225-6	3/8" Pipe Street Tee	10
TAS360AB-6	3/8" Hose Sleeve	10
TAS360AB-8	1/2" Hose Sleeve	5
TAS362RB-6	3/8" Union	5
TAS362RB-8	1/2" Union	2
TAS368AB-6-4	3/8"x1/4" Male Connector	5
TAS368AB-6-6	3/8"x3/8" Male Connector	5
TAS368AB-6-8	3/8"x 1/2" Male Connector	5
TAS368AB-8-6	1/2"x3/8" Male Connector	5
TAS376AB-3/4-6	3/8"x3/8" Adapter End	10
TAS378AB-6-4	3/8"x1/4" Male Connector w/ Spring Guard	2
TAS378AB-6-6	3/8"x3/8" Male Connector w/ Spring Guard	2
TAS378AB-6-8	3/8"x1/2" Male Connector w/ Spring Guard	2
TAS378AB-8-6	1/2"x3/8" Male Connector w/ Spring Guard	2
TAS378AB-8-8	1/2"x1/2" Male Connector w/ Spring Guard	2
TAS60-6	3/8" Compression Sleeve	50
TAS63PT-4	1/4" Brass Insert, Drop-In	25
TAS63PT-6	3/8" Brass Insert, Drop-In	25
TAS63PT-8	1/2" Brass Insert, Drop-In	25
TAS760AB-4	1/4" Sleeve	100
TAS760AB-6	3/8" Sleeve	100
TAS760AB-8	1/2" Sleeve	100
TAS761AB-6	3/8" Nut	25
TAS762AB-10	5/8" Union	5
TAS762AB-4	1/4" Union	10
TAS762AB-6	3/8" Union	10
TAS762AB-8	1/2" Union	10
TAS762PMT-4	1/4" Straight Union, Composite PTC	5
TAS762PMT-6	3/8" Straight Union, Composite PTC	5
TAS762PMT-8	1/2" Straight Union, Composite PTC	5
TAS764AB-4	1/4" Union Tee	10
TAS764AB-6	3/8" Union Tee	10

P/N	DESCRIPTION	PKG
TAS764PMT-4	1/4" Union Tee, Composite PTC	5
TAS768AB-4-2	1/4"x1/8" Male Connector	10
TAS768AB-4-4	1/4"x1/4" Male Connector	10
TAS768AB-6-2	3/8"x1/8" Male Connector	10
TAS768AB-6-4	3/8"x1/4" Male Connector	10
TAS768AB-6-6	3/8"x3/8" Male Connector	10
TAS768AB-6-8	3/8"x1/2" Male Connector	10
TAS768AB-8-4	1/2"x1/4" Male Connector	10
TAS768AB-8-6	1/2"x3/8" Male Connector	10
TAS768PMT-4-2	1/4"x1/8" Male Connector, Composite PTC	5
TAS768PMT-6-4	3/8"x1/4" Male Connector, Composite PTC	5
TAS768PMT-6-6	3/8"x3/8" Male Connector, Composite PTC	5
TAS768PMT-8-6	1/2"x3/8" Male Connector, Composite PTC	5
TAS769AB-10-8	5/8"x1/2" Male Elbow	5
TAS769AB-4-2	1/4"x1/8" Male Elbow	10
TAS769AB-4-4	1/4"x1/4" Male Elbow	10
TAS769AB-6-4	3/8"x1/4" Male Elbow	10
TAS769AB-6-6	3/8"x3/8" Male Elbow	10
TAS769AB-8-4	1/2"x1/4" Male Elbow	10
TAS769AB-8-6	1/2"x3/8" Male Elbow	10
TAS769AB-8-8	1/2"x1/2" Male Elbow	5
TAS771AB-6-4	3/8"x1/4" Male Run Tee	10
TAS772AB-6-4	3/8"x1/4" Male Branch Tee	10
TAS772AB-8-6	1/2"x3/8" Male Branch Tee	5
TAS779AB-6-4	3/8"x1/4" 45° Elbow	10
TAS779AB-6-6	3/8"x 3/8" 45° Elbow	10
TASPHN-6	3/8" Hex Nipple	10
TASPHN-8	1/2" Hex Nipple	10
TASPPH-12	3/4" Hex Head Plug	10
TASPPH-4	1/4" Hex Head Plug	10
TASPPH-6	3/8" Hex Head Plug	10
TASPPH-8	1/2" Hex Head Plug	10
TASPRB-12-8	3/4"x1/2" Pipe Reducer Bushing	5
TASPRB-4-2	1/4"x1/8" Pipe Reducer Bushing	10
TASPRB-6-4	3/8"x1/4" Pipe Reducer Bushing	10
TASPRB-8-4	1/2"x1/4" Pipe Reducer Bushing	10
TASPRB-8-6	1/2"x3/8" Pipe Reducer Bushing	10
TASV500P-8	1/2 Female Ball Valve, Full Port	1
TASV601-4	1/4" Male Drain Cock	2

# AT STOUGHTON, IT'S ABOUT MORE THAN JUST PARTS.

Stoughton Parts focuses its efforts on being a premier value-added supplier to the heavy duty aftermarket. We pride ourselves on our industry leading customer service, order fill rate and order fill accuracy.

## YOU CAN EXPECT:

- ▶ Thousands of parts in stock every day
- ▶ Not only top quality Stoughton parts but competitive make/model parts
- ▶ Personalized service
- ▶ Experienced and knowledgeable technical support
- ▶ Online ordering, tracking and invoice access capabilities
- ▶ Weekly delivery routes to minimize freight costs along with daily parcel & LTL shipping

